


# Mechanical properties of tumors measured by Brillouin light scattering

January 8 2019




Mapping of tumor models' rigidity. Dark red indicates the most rigid areas, towards the interior of the tumor. The edge is less rigid (yellow-green). Credit: Thomas Dehoux/ILM/CNRS

A team of physicists at the Institut Lumière Matière (CNRS/Université Claude Bernard Lyon 1), in collaboration with the Cancer Research Center of Lyon (CNRS/INSERM/ Université Claude Bernard Lyon 1/Centre Léon Bérard/Hospices civils de Lyon), has demonstrated the potential of an imaging technique based only on the physical properties of tumors. It can differentiate populations of malignant cells and monitor how effective an anticancer treatment is. These results, published in *Physical Review Letters* on January 8, 2019, should help in the design of new therapeutic molecules and in the personalization of treatments.

Despite a good understanding of the biology of cancer, 90 percent of experimental drugs fail during clinical trials. Researchers also suspect that the mechanical properties of tumors influence disease progression and treatment efficacy. Although we can evaluate tumor elasticity globally, it is more difficult to measure local rigidity deep down and to see whether the core of the tumor resists the penetration of therapeutic liquids. To probe these [physical properties](#), the researchers used a noncontact imaging technique that does not require the use of contrast agents, and therefore does not disturb tissue function, exploiting the natural infinitesimal vibrations of matter.

To recapitulate the behavior of colorectal tumors in vitro, the researchers created organoids, spheres with diameter 0.3 mm formed by the aggregation of tumor cells. They focused a red laser beam onto these objects. The infinitesimal vibrations of the sample, generated by thermal agitation, modify very slightly the color of the light beam that exits the sample. By analyzing this light, a map of the mechanical properties of the model tumors is created. The more rigid the area scanned by the laser, the faster the vibrations, and, in a manner comparable to the Doppler effect, the greater the color change.



A multiwell plate where each well contains tumor tissue is placed on an inverted microscope held at 37°C. A laser beam is focused on one area of the tumor, then moved to achieve a mapping. The diffused light is collected by the microscope lens and analyzed in an interferometer to detect wavelength variations (in other words, “color” variations). Credit: Jérémie Margueritat/ILM/CNRS

From organoids composed of two [cell lines](#) with different malignancies, the researchers have shown that they could distinguish the two cell types from their mechanical properties. Such information is crucial because it may allow diagnosis from biopsy analysis to be refined and offer better assessment of tumor grade. Local variations in mechanical properties after a drug treatment have also been monitored using this technique: the center of the tumor remains rigid longer than the edge, demonstrating the treatment's efficacy gradient. So local measurement of mechanical properties could confirm the total destruction of the tumor and help in choosing as low a treatment dose and duration as possible.

This approach allows exploring the impact of [mechanical properties](#) on the therapeutic response. It should lead to more predictive in vitro tumor models for testing new therapeutic molecules and for combined therapies, which act for example on tissue rigidity to accelerate the penetration of active molecules in the center of the [tumor](#). It could also provide new indicators to guide clinicians in personalization of therapies.

**More information:** High-Frequency Mechanical Properties of Tumors Measured by Brillouin Light Scattering, *Physical Review Letters*, 8 January 2019. [DOI: 10.1103/PhysRevLett.122.018101](https://doi.org/10.1103/PhysRevLett.122.018101)

Provided by CNRS

Citation: Mechanical properties of tumors measured by Brillouin light scattering (2019, January 8) retrieved 26 April 2024 from

<https://phys.org/news/2019-01-mechanical-properties-tumors-brillouin.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.