


# Revealing hidden spin: Unlocking new paths toward high-temperature superconductors

January 4 2019, by Theresa Duque



With the spin resolution enabled by the SARPES detector, Berkeley Lab researchers revealed magnetic properties of Bi-2212 that have gone unnoticed in previous studies. Credit: Kenneth Gotlieb, Chiu-Yun Lin, et al./Berkeley Lab

In the 1980s, the discovery of high-temperature superconductors known as cuprates upended a widely held theory that superconductor materials



carry electrical current without resistance only at very low temperatures of around 30 Kelvin (or minus 406 degrees Fahrenheit). For decades since, researchers have been mystified by the ability of some cuprates to superconduct at temperatures of more than 100 Kelvin (minus 280 degrees Fahrenheit).

Now, researchers at the U.S. Department of Energy's Lawrence Berkeley National Laboratory (Berkeley Lab) have unveiled a clue into the cuprates' unusual properties—and the answer lies within an unexpected source: the electron spin. Their paper describing the research behind this discovery was published on Dec. 13 in the journal *Science*.

## Adding electron spin to the equation

Every electron is like a tiny magnet that points in a certain direction. And electrons within most superconductor <u>materials</u> seem to follow their own inner compass. Rather than pointing in the same direction, their electron spins haphazardly point every which way—some up, some down, others left or right.


When scientists are developing new kinds of materials, they usually look at the materials' <u>electron spin</u>, or the direction in which the electrons are pointing. But when it comes to making <u>superconductors</u>, condensed matter physicists haven't traditionally focused on spin, because the conventionally held view was that all of the properties that make these materials unique were shaped only by the way in which two electrons interact with each other through what's known as "electron correlation."

But when a research team led by Alessandra Lanzara, a faculty scientist in Berkeley Lab's Materials Sciences Division and a Charles Kittel Professor of Physics at UC Berkeley, used a unique detector to measure samples of an exotic cuprate superconductor, Bi-2212 (bismuth strontium calcium copper oxide), with a powerful technique called



SARPES (spin- and angle-resolved photoemission spectroscopy), they uncovered something that defied everything they had ever known about superconductors: a distinct pattern of electron spins within the material.

"In other words, we discovered that there was a well-defined direction in which each electron was pointing given its momentum, a property also known as spin-momentum locking," said Lanzara. "Finding it in <a href="high-temperature superconductors">high-temperature superconductors</a> was a big surprise."



A research team led by Berkeley Lab's Alessandra Lanzara (second from left) used a SARPES (spin- and angle-resolved photoemission spectroscopy) detector to uncover a distinct pattern of electron spins within high-temperature cuprate superconductors. Co-lead authors are Kenneth Gotlieb (second from right) and Chiu-Yun Lin (right). The study's co-authors include Chris Jozwiak of Berkeley Lab's Advanced Light Source (left). Credit: Peter DaSilva/Berkeley Lab



### A new map for high-temperature superconductors

In the world of superconductors, "high temperature" means that the material can conduct electricity without resistance at temperatures higher than expected but still in extremely cold temperatures far below zero degrees Fahrenheit. That's because superconductors need to be extraordinarily cold to carry electricity without any resistance. At those low temperatures, electrons are able to move in sync with each other and not get knocked by jiggling atoms, causing electrical resistance.

And within this special class of high-temperature <u>superconductor</u> <u>materials</u>, cuprates are some of the best performers, leading some researchers to believe that they have potential use as a new material for building super-efficient electrical wires that can carry power without any loss of electron momentum, said co-lead author Kenneth Gotlieb, who was a Ph.D. student in Lanzara's lab at the time of the discovery. Understanding what makes some exotic cuprate superconductors such as Bi-2212 work at temperatures as high as 133 Kelvin (about -220 degrees Fahrenheit) could make it easier to realize a practical device.

Among the very exotic materials that condensed matter physicists study, there are two kinds of electron interactions that give rise to novel properties for new materials, including superconductors, said Gotlieb. Scientists who have been studying cuprate superconductors have focused on just one of those interactions: electron correlation.

The other kind of electron interaction found in exotic materials is "spin-orbit coupling—the way in which the electron's magnetic moment interacts with atoms in the material.

Spin-orbit coupling was often neglected in the studies of cuprate superconductors, because many assumed that this kind of electron interaction would be weak when compared to electron correlation, said



co-lead author Chiu-Yun Lin, a researcher in the Lab's Materials Sciences Division and a Ph.D. student in the Department of Physics at UC Berkeley. So when they found the unusual spin pattern, Lin said that although they were pleasantly surprised by this initial finding, they still weren't sure whether it was a "true" intrinsic property of the Bi-2212 material, or an external effect caused by the way the <u>laser light</u> interacted with the material in the experiment.

## Shining a light on electron spin with SARPES

Over the course of nearly three years, Gotlieb and Lin used the SARPES detector to thoroughly map out the spin pattern at Lanzara's lab. When they needed higher photon energies to excite a wider range of electrons within a sample, the researchers moved the detector next door to Berkeley Lab's synchrotron, the <u>Advanced Light Source (ALS)</u>, a U.S. DOE Office of Science User Facility that specializes in lower energy, "soft" X-ray light for studying the properties of materials.

The SARPES detector was developed by Lanzara, along with co-authors Zahid Hussain, the former ALS Division Deputy, and Chris Jozwiak, an ALS staff scientist. The detector allowed the scientists to probe key electronic properties of the electrons such as valence band structure.

After tens of experiments at the ALS, where the team of researchers connected the SARPES detector to Beamline 10.0.1 so they could access this powerful light to explore the spin of the electrons moving with much higher momentum through the superconductor than those they could access in the lab, they found that Bi-2212's distinct spin pattern—called "nonzero spin—was a true result, inspiring them to ask even more questions. "There remains many unsolved questions in the field of high-temperature superconductivity," said Lin. "Our work provides new knowledge to better understand the cuprate superconductors, which can be a building block to resolve these questions."



Lanzara added that their discovery couldn't have happened without the collaborative "team science" of Berkeley Lab, a DOE national lab with historic ties to nearby UC Berkeley. "This work is a typical example of where science can go when people with expertise across the scientific disciplines come together, and how new instrumentation can push the boundaries of science," she said.

**More information:** Kenneth Gotlieb et al, Revealing hidden spin-momentum locking in a high-temperature cuprate superconductor, *Science* (2018). DOI: 10.1126/science.aao0980

#### Provided by Lawrence Berkeley National Laboratory

Citation: Revealing hidden spin: Unlocking new paths toward high-temperature superconductors (2019, January 4) retrieved 9 April 2024 from <a href="https://phys.org/news/2019-01-revealing-hidden-paths-high-temperature-superconductors.html">https://phys.org/news/2019-01-revealing-hidden-paths-high-temperature-superconductors.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.