

Novel material converts infrared light into visible light (Update)

January 16 2019, by Carla Cantor



Billions of molecular lightbulbs, powered by invisible infrared photons, generate visible light. Credit: Melissa Ann Ashley

Columbia University scientists, in collaboration with researchers from Harvard, have succeeded in developing a chemical process to absorb infrared light and re-emit it as visible energy, allowing innocuous radiation to penetrate living tissue and other materials without the damage caused by high-intensity light exposure.



The team's research is published in the January 16 issue of Nature.

"The findings are exciting because we were able to perform a series of complex chemical transformations that usually require high-energy, visible light using a noninvasive, infrared light source," said Tomislav Rovis, professor of chemistry at Columbia and co-author of the study. "One can imagine many potential applications where barriers are in the way to controlling matter. For example, the research holds promise for enhancing the reach and effectiveness of photodynamic therapy, whose full potential for managing cancer has yet to be realized."

The team, which includes Luis M. Campos, associate professor of chemistry at Columbia, and Daniel M. Congreve of the Rowland Institute at Harvard, carried out a series of experiments using small quantities of a novel compound that, when stimulated by light, can mediate the transfer of electrons between molecules that otherwise would react more slowly or not at all.

Their approach, known as triplet fusion upconversion, involves a chain of processes that essentially fuses two infrared photons into a single visible light photon. Most technologies only capture visible light, meaning the rest of the solar spectrum goes to waste. Triplet fusion upconversion can harvest low-energy infrared light and convert it to light that can then be absorbed by optoelectronic devices, such as solar cells. Visible light is also easily reflected by many surfaces, whereas infrared light has longer wavelengths that can penetrate dense materials.

"With this technology, we were able to fine-tune infrared light to the necessary, longer wavelengths that allowed us to noninvasively pass through a wide range of barriers, such as paper, plastic molds, blood and tissue," Campos said. The researchers even pulsed light through two strips of bacon wrapped around a flask.



Scientists have long tried to solve the problem of how to get visible light to penetrate skin and blood without damaging internal organs or healthy tissue. Photodynamic therapy (PDT), used to treat some cancers, employs a special drug, called a photosensitizer, that is triggered by light to produce a highly reactive form of oxygen able to kill or inhibit the growth of cancer cells.

Current photodynamic therapy is limited to the treatment of localized or surface cancers. "This new technology could bring PDT into areas of the body that were previously inaccessible," Rovis said. "Rather than poisoning the entire body with a drug that causes the death of malignant cells and healthy cells, a nontoxic drug combined with infrared light could selectively target the tumor site and irradiate cancer cells."

The technology could have far-reaching impact. Infrared light therapy may be instrumental in treating a number of diseases and conditions, including traumatic brain injury, damaged nerves and spinal cords, hearing loss, as well as cancer.

Other potential applications include remote management of chemical storage solar power production and data storage, drug development, sensors, food safety methods, moldable bone-mimic composites and processing microelectronic components.

The researchers are currently testing photon-upconversion technologies in additional biological systems. "This opens up unprecedented opportunities to change the way light interacts with living organisms," Campos said. "Right now we are employing upconversion techniques for tissue engineering and drug delivery."

More information: Benjamin D. Ravetz et al, Photoredox catalysis using infrared light via triplet fusion upconversion, *Nature* (2019). <u>DOI:</u> <u>10.1038/s41586-018-0835-2</u>



Provided by Columbia University

Citation: Novel material converts infrared light into visible light (Update) (2019, January 16) retrieved 25 April 2024 from <u>https://phys.org/news/2019-01-scientists-visible-infrared.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.