

New synthetic method for water-stable perovskites

January 24 2019



Water-stable perovskite sample under synthetic condition, which exhibits cyan green color in basic media during synthesis under UV light. Credit: UNIST

Researchers in South Korea have presented an easy and cost-effective synthetic method, capable of stabilizing perovskites without addition of



foreign coating materials in aqueous media.

All-inorganic perovskites, known as $CsPbX_3$ (X = Cl/Br/I) was first discovered by Wells in 1893 and <u>hybrid perovskites</u> or CH₃NH₃PbX₃ were discovered in 1978 by Weber. Although these materials have been the essence of the materials research community, especially in solar cells, solid-state light-emitting diodes, and many more optoelectronic devices, their practical application has been hindered due to their instability in aqueous environment.

To stabilize these perovskites, several metal oxides such as SiO_2 , Al_2O_3 , and Ta_2O_5 have been used to coat these materials. But these methods fails to give long term stability. For commercialization of any devices, it should be noted that the devices should be stable upto few years. At present, there are no methods that can stabilize the perovskite for more than one year in neutral water.

A recent study, affiliated with UNIST has presented an easy, facile, and cost-effective synthetic method, capable of stabilizing perovskites without addition of foreign coating materials in aqueous media. The research team envisions that their new synthetic approach will open up a new research area for perovskite materials.

This breakthrough has been led by Distinguished Professor Kwang Soo Kim in the School of Energy and Chemical Engineering at UNIST. The research team envisions that their new synthetic approach will open up a new research area for perovskite materials.

"Perovskites have attracted considerable attention from researchers worldwide due to their high efficiency and low cost," says Distinguished Professor Kim. "By solving the longstanding problems for its practical application in aqueous environment, our simple synthetic route will be used for various applications in optoelectronics, biomedical science, and



catalysis."



Schemic image showing the Lewis base vapor diffusion (LBVD) Method. The small inner vial contains a halide acid-metal halide precursor salt, while the big outer vial contains methylamine (MAm) solution. MAm vaporizes and goes into the small vial. Blue balls indicate the MAm vapor, and the green rod indicates the water-stable perovskite. Credit: UNIST

The magical performance of $APbX_3$ (A = organic ammonium or inorganic cation, X = halide anion) perovskite lies in its special kind of structure where the lead cations and ammonium cations are in a 6-fold and 12-fold cuboctahedral coordination, respectively and thus perovskites materials consist of infinite number of octahedral layers connected by the corners of octahedrons.

In the study, Distinguished Professor Kim and Dr. Jana developed a new



synthetic method of converting few outer octahedral layers to $Pb(OH)_2$ to protect the remaining inside layers from water. Thanks to $Pb(OH)_2$ which is insoluble in water. By controlling the peripheral layer of octahedral perovskite geometry, the research team reproducibly synthesized a series of rodshaped fluorescent hybrid perovskites in both acidic and basic media at ambient conditions in large scale without capping ligands. The band gap is tunable from the red to sky-blue region with sharp emission. The lead bromide perovskites are stable more than 6 months in water without structural change.

"All the essential technologies that help our society to function properly are based on high performances semiconductor, such as Si-based solar cells. But perovskite <u>materials</u> have the full potential to replace Si-based devices which are very costly," says Dr. Jana in the School of Energy and Chemical Engineering at UNIST, the first author of the study. "As our new synthetic methodology is highly cost-effective, it will reduce the price of perovskite solar cell devices and other optoelectronic devices, which could be easily accessible to economically backward countries."

He adds, "In addition, the water-stable perovskite will be used in all those areas where water is unavoidable choice for a particular study."

"We believe that our fundamental and innovative findings will help the solar cell community to fabricate <u>perovskite solar cells</u> which would be stable in water," says Distinguished Professor Kim. "In addition, the bright fluorescent intensity of bromide and chloride based perovskites in <u>water</u> is highly promising for solid state lightning devices."

The findings of this research have been published in ACS Energy Letters on August 13, 2018. Additionally, their paper has been listed among the most read articles for the month of August in ACS Energy Letters.

More information: Atanu Jana et al. Water-Stable, Fluorescent



Organic–Inorganic Hybrid and Fully Inorganic Perovskites, *ACS Energy Letters* (2018). DOI: 10.1021/acsenergylett.8b01394

Provided by Ulsan National Institute of Science and Technology

Citation: New synthetic method for water-stable perovskites (2019, January 24) retrieved 3 May 2024 from <u>https://phys.org/news/2019-01-synthetic-method-water-stable-perovskites.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.