

# Thousands stung in Australian jellyfish 'invasion'

January 7 2019

---



Bluebottle stings are a frequent occurrence in Australia

Highly venomous jellyfish have stung more than three thousand people on Australia's northeastern shores in just a few days, authorities said Monday, forcing the closure of several beaches.

The massive influx of Portuguese man o' war [jellyfish](#), whose stings are notoriously painful, has been described as an "invasion" by local media in the state of Queensland.

Coastguard association Surf Life Saving said a "whopping" 3,595 [people](#) had suffered painful burns after encounters with the creatures, also known as bluebottles for their transparent bluish appearance.

At least four major beaches remained closed as the organisation warned that even more jellyfish were on their way.

"A wall of bluebottles is approaching #Rainbow [beach](#). Lifesavers are closing the beach. Please stay out of the water," read one of several warnings from Surf Life Saving.

Bluebottle stings are a frequent occurrence and it is not uncommon to hear howls of pain from changing rooms along Australia's eastern beaches during the southern hemisphere's summer.

But the sheer number of people stung in the last few days has surprised authorities.

There are usually around 10,000 cases of bluebottle stings each year on the east coast of Australia, according to the Royal Australian College of General Practitioners.



The stings of Portuguese Man o' War jellyfish, also known as bluebottles, are notoriously painful

The extraordinary number of stings in the last few days has occurred as strong onshore winds have come in from the north-east, bringing the creatures into contact with swimmers.

The doctors' group describes the symptoms of a [sting](#) as an "immediate sharp pain and acute inflammatory skin reaction".

"The intense skin pain can last from minutes to many hours... The sting can also cause systemic signs such as nausea, vomiting and general feeling of malaise."

Treatment includes rinsing the wound with water at 45 degrees Celsius or using icepacks.

It is less straightforward to treat stings from the fearsome Irukandji variety of jellyfish, however.

Stings from these box jellyfish—which can be smaller than a finger nail—can cause acute muscular [pain](#), violent vomiting, feelings of "impending doom", hair that stands on end, strokes, heart failure and death within minutes.

State-backed broadcaster ABC reported that the number of people taken to hospital with Irukandji stings in Queensland this season is already 20, double the normal yearly average.

© 2019 AFP

Citation: Thousands stung in Australian jellyfish 'invasion' (2019, January 7) retrieved 24 April 2024 from <https://phys.org/news/2019-01-thousands-stung-australian-jellyfish-invasion.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.