

Unusual supernova opens a rare window on the collapse of a star

January 10 2019



The above image shows a long exposure of the SOAR telescope with overlaid illustrations of a highly magnetized neutron star (top left) and an accreting black hole (top right). Credit: D. Maturana & NOAO/AURA/NSF; Overlay (top left): NASA/Penn State University/Casey Reed; (top right): NASA Goddard Space Flight Center.

An unusual supernova studied by multiple telescopes, including the SOAR telescope and other telescopes at the National Science Foundation's (NSF) Cerro Tololo Inter-American Observatory (CTIO) and NSF's Kitt Peak National Observatory (KPNO), is thought to herald the birth of a new black hole or neutron star, caught at the exact moment of its creation. Observations made with facilities ranging from X-rays to optical and radio wavelengths were used to understand this remarkable event. These multi-messenger observations give astronomers a rare glimpse into the physics at play during the creation of a black hole or neutron star.

A Mysterious Bright Glow


On June 16, 2018 a sky survey telescope in Hawai'i alerted the astronomical community to the sudden appearance of a new object in the sky. It was similar to a supernova, except that it brightened, and then faded, faster than a typical supernova, and was intrinsically brighter at its peak. A supernova (from nova meaning "new" star) is a sudden explosion of a massive star which has reached the end of its lifetime, leading to the formation of a black hole or neutron star. The transient object, assigned the designation AT2018cow, was immediately nicknamed "the Cow" based on the final 3 letters of its name. "The Cow" is located in a relatively nearby galaxy—only 200 million [light years](#) away from our own Milky Way galaxy in the direction of the constellation Hercules.

It Takes a Team

Immediately after receiving the alert, an international research team led by Raffaella Margutti (Northwestern University) leapt into action and began observing the unusual source across the electromagnetic spectrum—at X-ray, optical, infrared and radio wavelengths. Telescopes

around the world contributed to the effort using spectroscopy to decode the nature of the source. Among the telescopes that contributed was the Southern Astrophysical Research Telescope (SOAR) in Chile whose instruments obtained spectra of the Cow. With spectra, which spread out the light in the form of a rainbow, astronomers could quickly confirm that matter was expanding from the object at up to 10% the speed of light.

Régis Cartier, who made the SOAR observations, said, "Almost from the very start I realized that this transient was special. It was fast, blue and bright, different from any supernova seen before. I dropped everything else I was working on to focus on understanding this event." In addition to the SOAR telescope, other telescopes at NSF's CTIO and KPNO imaged the object and contributed to a broader picture as the Cow faded away.



(DECaLS) with cross hairs indicating the location of the AT2018cow event in

the host galaxy, CGCG 127-68. Credit: Color image from the Imagine Viewer, created by Dustin Lang, for the Legacy Surveys project (see legacysurvey.org/viewer).

A Nearly Naked Cow

Because the collapsed star was surrounded by a relatively small amount of debris, the team was able to peer through the debris and get a glimpse of the object's "central engine." This rare event will help astronomers better understand the physics at play within the first moments of the creation of a black hole or neutron star. The results were presented today at this week's meeting of the American Astronomical Society in Seattle, Washington.

"We think that 'The Cow' is the formation of an accreting black hole or neutron star," said Giacomo Terreran (Northwestern University), who led the CTIO observations. "We know from theory that black holes and [neutron stars](#) form when a star dies, but we've never seen them right after they are born." This event may represent a new class of objects within the category known as fast luminous transients.

A Whole New World of Transients

Although a supernova like the Cow has never been seen before, Cartier expects that astronomers will detect larger numbers of such rare events in the future. Now that surveys are searching for sources that vary on a wider range of timescales, "we've already discovered a whole family of fast transients that we didn't know existed," noted Cartier.

The SOAR telescope is gearing up to help us understand these new events. Said Dr. Jay Elias, Director of SOAR, "The SOAR telescope was

designed from the start to provide flexible instrument configurations, allowing it to respond quickly to events like this. There are many astronomical surveys observing interesting transient events, as well as other events, such as last year's kilonova detected by LIGO, which was also observed at SOAR. Very soon, there will be even more interesting transient events from the Large Synoptic Survey Telescope (LSST) and other large-scale survey telescopes." The LSST is a new telescope being built on the same mountaintop as the SOAR [telescope](#) with major funding from NSF: it will conduct a 10-year survey of the sky with special emphasis on transient events.

Provided by National Optical Astronomy Observatory

Citation: Unusual supernova opens a rare window on the collapse of a star (2019, January 10)
retrieved 27 April 2024 from
<https://phys.org/news/2019-01-unusual-supernova-rare-window-collapse.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--