

Yeast makes ethanol to prevent metabolic overload

January 7 2019



Prof. dr. Matthias Heinemann. Credit: University of Groningen

Why do some yeast cells produce ethanol? Scientists have wondered about this apparent waste of resources for decades. Now, University of Groningen scientists think they have a solution: yeast cells produce ethanol as a 'safety valve' to prevent overload when their metabolic operation reaches a critical level. The new theory, which was published

in *Nature Metabolism* on 7 January, could have far-reaching implications, as it also explains why cancer cells waste energy by producing lactate, known as the Warburg effect.

Cells use nutrients like glucose to make new cells. But sometimes, some of these nutrients are wasted. For example, the yeast *Saccharomyces cerevisiae*, which is used to produce beer, breaks glucose down into [ethanol](#) rather than carbon dioxide. "Metabolizing a six-carbon molecule to a two-carbon molecule, rather than to [carbon dioxide](#), means part of the energy and matter stored in glucose is lost. It makes no sense," says Matthias Heinemann, Professor of Molecular Systems Biology at the University of Groningen.

Metabolism

Evolution should have put an end to such a waste of resources, so biologists have tried to find a reason for its existence. "And similar wastefulness can be seen in other cells," says Heinemann. A widely known example is [cancer cells](#). These fast-growing cells excrete lactate, which represents a similar waste of energy. And many bacteria [waste energy](#), as well. "This similarity between different organisms made us wonder whether there was a common denominator."

Heinemann's field of research is metabolism, the chemical reaction network that generates the building blocks for new cells. He hypothesized that there is an upper rate limit at which cells can operate their metabolism. With his Ph.D. students Bastian Niebel and Simeon Leupold, he modeled Gibbs energy dissipation in cells. This is the energy released by all [chemical reactions](#) taking place in a cell.

Something universal

By adding thermodynamics to a model with around 1,000 chemical reactions and combining it with experimental data, Heinemann was able to determine the Gibbs energy dissipation rate as a function of glucose uptake. At first, the Gibbs energy dissipation increases with increasing rates of glucose consumption, but then a plateau is reached—and at that point, ethanol production starts. "This is the point where the cells switch from respiration to fermentation," explains Heinemann.

Heinemann and his team obtained similar results for the gut bacterium *E. coli*, with a plateau at a comparable level of Gibbs energy dissipation. Heinemann says, "Yeast and *E. coli* live in completely different environments, yet have about the same dissipation limit that is even at about the same value. This suggests that this limit is something universal." The exact reason for this limit is still unknown, but the scientists have come up with a working hypothesis. "Cellular metabolism has a maximum rate at which it can still operate." When this is reached, the cells open a 'safety valve' and glucose is broken down to ethanol, acetate or lactate, leaving part of the energy unused.

Damage

So what is causing this limit? "Part of the energy is dissipated as heat, but this is too little to bother the cells. Our idea is that when enzymes catalyze a chemical reaction, they get a tiny push during the reaction, which makes them move. If they work very fast, this could mean that there is too much movement inside the cells, which could damage certain cellular structures." Studies on the movement of enzymes inside the cell at different metabolic rates could confirm this.

In the meantime, Heinemann believes that he has now solved the mystery of not just ethanol production in yeast, but also the Warburg effect in cancer cells. Almost a century ago, the late Nobel Laureate Otto Warburg observed that cancer cells have a high rate of glycolysis with

lactate excretion. This waste of energy and matter is, Heinemann believes, the 'safety valve': "There are some experiments going on with drugs that block lactate production as a way to treat cancer. The mechanism of these drugs could be to close the cells' safety valve."

Entropy

Not all cells need a safety valve, though. "Some yeast strains have a slow glucose uptake, so they will never be in danger of metabolic overload. And indeed, these yeast species don't produce ethanol," says Heinemann.

The discovery brings to mind a quote from Erwin Schrödinger's seminal work "What is Life": "The essential thing in metabolism is that the organism succeeds in freeing itself from all the entropy it cannot help producing while alive." This statement should be extended, Heinemann says, with the following: "However, there is an upper rate limit at which cells can free themselves from this entropy, and this limit governs how [cells](#) operate their metabolism."

More information: Bastian Niebel et al, An upper limit on Gibbs energy dissipation governs cellular metabolism, *Nature Metabolism* (2018). [DOI: 10.1038/s42255-018-0006-7](https://doi.org/10.1038/s42255-018-0006-7)

Provided by University of Groningen

Citation: Yeast makes ethanol to prevent metabolic overload (2019, January 7) retrieved 2 May 2024 from <https://phys.org/news/2019-01-yeast-ethanol-metabolic-overload.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.