

ARS cotton advance helps launch wound dressing

February 1 2019, by Jan Suszkiw



TAC gauze is a new nonwoven cotton gauze from ARS and collaborators that helps staunch bleeding and promote wound healing. Credit: H&H

A new, nonwoven cotton gauze that quickly stanches bleeding and promotes wound healing is now commercially available, thanks to the efforts of a multidisciplinary team that includes scientists with USDA's Agricultural Research Service (ARS) in New Orleans, Louisiana.

H&H Medical Corporation, a Williamsburg, Virginia, firm specializing in trauma care products, rolled out the new gauze Nov. 21 under the tradename "TACgauze." The product differs from standard gauzes in that it's made of greige (pronounce "gray") <u>cotton</u> fiber—that which hasn't been scoured and bleached prior to fabrication, notes Vince Edwards, a textile chemist with ARS' Southern Regional Research Center in New Orleans.



In studies there, Edwards identified the role of the cotton fiber's outer cuticle in stimulating the body's production of fibrin and other bloodclotting agents. To do this, he adapted the use of a micro-scale technique (thromboelastography) employed in hospitals to assess patient clotting profiles. Virginia Commonwealth University (VCU) collaborators assessed the clotting properties of fabric made from the fibers using animal models. The findings showed that when made into a gauze used to wrap or pack wounds, greige fiber performed as well as standard cotton gauze dressings.

In trials, the nonwoven greige cotton gauze was 33 percent lighter and 63 percent more absorbent than standard crinkle-type gauzes made of bleached processed cotton. During the trials, the nonwoven greige cotton gauze also triggered blood clotting more quickly, shed fewer fibers and released small amounts of hydrogen peroxide, thought to help mobilize wound-healing cells at the injury site.

According to BleedingControl.org, uncontrolled bleeding (hemorrhaging) is the number one cause of preventable death in persons who experience traumatic injury. This can happen within five minutes if hemorrhaging from the wound site isn't slowed or stopped, a state known as "<u>hemostasis</u>."

In developing TACgauze together with the ARS-VCU team and T.J. Beall Company of Greenwood, Mississippi, H&H sought a hemostatic gauze that was easy to carry and use, affordable, reliable, sterile, longlasting and effective under wide-ranging and circumstances—whether that be on the battlefield, accident scenes, mass-casualty events or remote locations.

Interest in evaluating TAC gauze has come from both the military and civilian sectors, including the U.S. Marine Corps, according to H&H President Paul Harder.



Provided by Agricultural Research Service

Citation: ARS cotton advance helps launch wound dressing (2019, February 1) retrieved 3 May 2024 from <u>https://phys.org/news/2019-02-ars-cotton-advance-wound.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.