


How bird feather patterns form

February 21 2019



These are feathers beginning their development on the back of an ostrich embryo. Credit: William Ho, Roslin Institute

Feathers evolved in dinosaurs and are a key characteristic of birds today. They are arranged in a precise hexagonal pattern in a bird's skin, but it has been unclear how this happens. According to a new study published February 21 in the open-access journal *PLOS Biology*, led by Dr. William Ho and Denis Headon of the University of Edinburgh, and collaborative colleagues, the patterning of bird feathers relies on




signaling through ectodysplasin (EDA) and its receptor EDAR—the same signaling pathway known to be crucial for the formation of hair follicles, teeth and scales in fish, lizards and mammals.

During a bird's development, feathers first arise in a row along the middle of the back (the dorsal midline), with rows of new feather buds added sequentially in a spreading wave. Recent studies have shown that natural variation in feather <u>patterning</u> is associated with two pathways involving signaling molecules called fibroblast growth factor (FGF) and bone morphogenetic protein (BMP). To shed further light on this topic, Ho, Headon and colleagues investigated how signaling between cells, changes in <u>cell movement</u> and density, and mechanical processes integrate to drive feather pattern formation.

The researchers show that the patterning of bird feathers relies on coupled FGF and BMP signaling, together with the movement of cells in the dermis (mesenchymal cells). Moreover, a third pathway—EDA/EDAR signaling—is the critical signal driving the wave of patterning, spreading across and interacting with a gradient of mesenchymal cell density. In a mechanical-chemical process, FGF20 induces cells to aggregate, compressing the overlying epidermis to rapidly intensify FGF20 expression. The travelling wave of feather formation is imposed by expanding wave of EDA, which in turn initiates the production of FGF20. The wave of EDA spreads across a gradient of mesenchymal cell density, triggering pattern formation by lowering the threshold of <u>mesenchymal cells</u> required to begin to form a feather bud.





Scientists have revealed how bird feathers form in a wave-like motion, creating a regular pattern in the skin. The team has identified chemical signals that are switched on and off in the birds' skin as feathers are arranged sequentially. The findings could help design strategies to reduce feather density in farmed birds that can be prone to overheating, which is a major welfare concern in tropical climates, researchers say. Credit: The Roslin Institute, University of Edinburgh

Intriguingly, the researchers found that, in contrast to chickens and ducks, these waves and the precise hexagonal array of their feather patterning have been lost via different developmental routes in the flightless emu and ostrich.

"The formation of feathers has been studied for over 50 years as a model to understand how simple tissues interact to produce organs," said Headon. "With new technologies we can now watch the process of organ development as it happens, giving deep insights into how the embryonic body produces a complex anatomy through <u>cells</u> both moving and signaling to one another. As we uncover the rules underlying how feather



number is determined before hatch in chickens, we can envisage ways to tailor <u>feather</u> density in farmed birds, which can experience overheating, to be appropriate for the climate that they will inhabit."

More information: Ho WKW, Freem L, Zhao D, Painter KJ, Woolley TE, Gaffney EA, et al. (2019) Feather arrays are patterned by interacting signalling and cell density waves. *PLoS Biol* 17(2): e3000132. doi.org/10.1371/journal.pbio.3000132

Provided by Public Library of Science

Citation: How bird feather patterns form (2019, February 21) retrieved 27 April 2024 from <u>https://phys.org/news/2019-02-bird-feather-patterns.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.