

New chimpanzee culture discovered

February 26 2019



Drawing of an Eastern chimpanzee (*Pan troglodytes schweinfurthii*) of the Bili-Uéré region in Northern DR Congo. Credit: © Cleve Hicks

Chimpanzees have a more elaborate and diversified material culture than


any other nonhuman primate. Their behavior varies across tropical Africa in a way that does not always correspond to ecology. For instance, only West African chimpanzees use stone and wooden hammers to crack nuts in a number of populations, despite the wide availability of hammers and appropriate nuts across the species' range. An understanding of the extent of this behavioral diversity is crucial to help researchers understand the likely incipient traditions of our own earliest hominin ancestors.

Previously, several large-scale behavioral patterns in chimpanzees have been documented, including the use of [clubs](#) to pound open beehives in Central Africa and long tools to scoop up algae across multiple sites in West Africa. A team of researchers from the MPI-EVA and the University of Warsaw now present a detailed description of a new behavioral realm in Eastern chimpanzees (*Pan troglodytes schweinfurthii*) of the Bili-Uéré region, Northern DR Congo.

This set of behaviors is observed in a population occupying a minimum of 50,000 km² and possibly extends across an even larger area. "Over a 12-year period, we documented chimpanzee tools and artefacts at 20 survey areas and gathered data on dung, feeding remains and sleeping nests," says lead author Thurston C. Hicks, guest researcher at the MPI-EVA and associate professor at the University of Warsaw. "We describe a new chimpanzee tool kit: long probes used to harvest epigeaic driver ants (*Dorylus* spp.), short probes used to extract ponerine ants and the arboreal nests of stingless bees, thin wands to dip for *D. kohli*, and stout digging sticks used to access underground meliponine nests."

In addition, the researchers document an expanded percussive technology associated with food processing: in addition to pounding hard-shelled fruits against substrates (which is seen in other chimpanzee populations), the Bili-Uéré apes also pound open two kinds of termite mounds, *Cubitermes* sp. and *Thoracotermes macrothorax*, a resource

that chimpanzees in most other regions ignore. These chimpanzees, on the other hand, appear not to exploit the common termite *Macrotermes muelleri*, for which chimpanzees fish at a number of other long-term research sites. "We have also documented tentative evidence of the pounding of African giant snails and tortoises against substrates, both novel food resources for chimpanzees. Finally, ground-nesting behavior is common across the area," adds Hicks.



Chimpanzee tool types in Northern DR Congo. From left to right: tool for the extraction of Epigaeic *Dorylus* ants, honey (ground), honey (tree), Ponerine ants, *Dorylus kohli* ants; South Uele tools. Credit: © Sonia Uribe

Despite an overall similarity of behaviors across two sides of a major

river (the Uele) and in two very different habitat types (savannah-tropical forest mosaic to the north and tropical moist forest to the south), the research team encountered some geographic variation in the chimpanzees' behaviour, including differing encounter rates for epigaeic driver ant tools, a lack of honey-digging tools to the south, and long driver ant probes and fruit-pounding sites only to the north of the Uele River.

"Nowadays, we may feel like we have already discovered all there is to discover. What a nice surprise, then, is to find a new chimpanzee behavioral realm. This just goes to show that not everything has yet been mapped out, and we have so much more to learn about the [natural world](#)," says co-author Hjalmar Kühl, an ecologist at the MPI-EVA and the research center iDiv.

"In today's overdeveloped world, opportunities such as this, to study a large, intact nonhuman great ape culture interconnected across tens of thousands of kilometres of forest, are vanishingly rare," says Hicks. "We need such natural laboratories in order to understand the way in which material culture spreads among healthy, thriving populations of hominids. Without this, it may be difficult to envisage the innovations made by our own ancestors in the woodlands of Africa millions of years ago."

Christophe Boesch, director of the Department of Primatology at the MPI-EVA and a co-author of the study, says: "It is great to have found these fascinating behavioral traits in this population. We simply hope that the many threats they face won't wipe out these [chimpanzees](#) just as we are learning more about their uniqueness."

More information: Thurston C. Hicks et al. Bili-Uéré: A Chimpanzee Behavioural Realm in Northern Democratic Republic of Congo, *Folia Primatologica* (2019). [DOI: 10.1159/000492998](https://doi.org/10.1159/000492998)

Provided by Max Planck Society

Citation: New chimpanzee culture discovered (2019, February 26) retrieved 23 July 2024 from <https://phys.org/news/2019-02-chimpanzee-culture.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.