

A laser system built on principles of supersymmetry

February 8 2019, by Bob Yirka







Operation principle of SUSY laser array. (A) An infinite potential well and its superpartner in the unbroken SUSY regime. Apart from the ground state, all eigenvalues of the primary potential are exactly matched to those of the superpartner. The eigenfunctions of the primary potential and its supersymmetric counterpart are transformed into one another through the action of the operators A and A[†]. (B) Schematic representation of a SUSY laser array involving a primary active lattice (red) coupled to its lossy superpartner (blue). The SUSY laser emits exclusively in the fundamental inphase mode. Credit: *Science* (2019). DOI: 10.1126/science.aav5103

A team of researchers from the University of Central Florida and Michigan Technological University has developed a laser system concept built on the principles of supersymmetry. In their paper published in the journal *Science*, the group reports that their system is meant to solve the problem of producing more light with a compact laser system. Tsampikos Kottos with Wesleyan University has written a Perspective <u>piece</u> on the work done by the team in the same journal issue.

Kottos points out that there are a lot of physics applications that require use of a compact laser system that also has high-output power requirements. To fulfill this need, many physicists have taken to combining multiple lasers into an array. Unfortunately, this approach suffers from the production of a lesser-quality beam. Kottos notes that one way to overcome this problem is to use selective amplification of a single mode—but doing so has its own drawbacks. In this new effort, the researchers have come up with a different approach—one based on the principles of <u>supersymmetry</u>.

Supersymmetry is a math-based theory that describes the relationship between bosons and <u>fermions</u>—it suggests that for every known



elementary particle, there has to be a much heavier "super partner." To build a new kind of laser system, the researchers used this idea to create a stable array of semiconductor lasers that together offer the power needed for prospective applications. More specifically, they designed a system that emphasizes the fundamental mode by suppressing higherorder modes. They did this by pairing them with low-quality modes—their lossy super-partners. The idea was for the array to support them such that they were phase-matched with the higher order modes.

To test their ideas, the researchers built a system by first creating multiple quantum wells on a tiny (just 1000 nanometers wide) indium phosphide wafer—each of which was just 400 nanometers apart. They stimulated the structure by firing a 1,064 nanometer wavelength laser at it. Doing so suppressed the higher-order transverse modes while exhibiting low divergence. They report the fundamental mode was decoupled from the lossy section and that it was the only one that experienced gain—and that led to single mode lasing.

More information: Mohammad P. Hokmabadi et al. Supersymmetric laser arrays, *Science* (2019). <u>DOI: 10.1126/science.aav5103</u>

© 2019 Science X Network

Citation: A laser system built on principles of supersymmetry (2019, February 8) retrieved 9 May 2024 from <u>https://phys.org/news/2019-02-laser-built-principles-supersymmetry.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.