

A rare assemblage of sharks and rays from nearshore environments of Eocene Madagascar

February 27 2019





Eocene shark teeth from northwestern Madagascar. Credit: Samonds et al, 2019



Eocene-aged sediments of Madagascar contain a previously unknown fauna of sharks and rays, according to a study released February 27, 2019 in the open-access journal *PLOS ONE* by Karen Samonds of Northern Illinois University and colleagues. This newly-described fauna is the first report of sharks and rays of this age in Madagascar.

The Mahajanga basin of northwestern Madagascar yields abundant fossil remains of terrestrial and <u>marine ecosystems</u>, but little is known about fossil sharks and rays during the Eocene Epoch, 55-34 million years ago, in this region. This is in contrast to the numerous shark and ray faunas known from other Eocene sites around the globe, and to shark and ray ecosystems known from older and younger sediments in the Mahajanga basin.

In this study, Samonds and colleagues collected isolated teeth, dental plates, and stingray spines from ancient coastal sediments of the Ampazony and Katsepy regions of the basin, dated to the middle to late Eocene. They identified at least 10 species of sharks and rays, including one new species, Carcharhinus underwoodi. This is the oldest named species of Carcharhinus, a genus that has been globally distributed for the past 35 million years but is known only rarely from the Eocene.

Aside from the <u>new species</u>, the fauna of Eocene Madagascar shares many species with Eocene ecosystems across North Africa, suggesting these animals were widespread in southern seas at that time. On the other hand, the Madagascar fauna is uniquely lacking in sandsharks and dominated by eagle <u>rays</u>, indicating a somewhat unusual ecosystem, unsurprising given Madagascar's long history of isolation. The authors caution that this study provides an incomplete picture given that they collected only fossils larger than 2 millimeters. They recommend that future studies target smaller material for a more complete view of the ancient ecosystem.



More information: Samonds KE, Andrianavalona TH, Wallett LA, Zalmout IS, Ward DJ (2019) A middle - late Eocene neoselachian assemblage from nearshore marine deposits, Mahajanga Basin, northwestern Madagascar. *PLoS ONE* 14(2): e0211789. doi.org/10.1371/journal.pone.0211789

Provided by Public Library of Science

Citation: A rare assemblage of sharks and rays from nearshore environments of Eocene Madagascar (2019, February 27) retrieved 16 July 2024 from <u>https://phys.org/news/2019-02-rare-assemblage-sharks-rays-nearshore.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.