

Integrated silicon photonic switch has lowest signal loss in high-speed data transmission

February 28 2019

Experimental photonic switches tested by researchers at the University of California, Berkeley, U.S.A., show promise toward the goal of fully optical, high-capacity switching for future high-speed data transmission networks. The switch developed and tested for this research demonstrated capabilities not seen before in photonic switches.

In a paper to be presented at OFC: The Optical Fiber Communications Conference and Exhibition, to be held 3-7 March in San Diego, Calif., U.S.A., researchers Tae Joon Seok and colleagues will report successful scale up of a 240x240 integrated silicon <u>photonic switch</u>. The device is so-named because it accepts 240 optical communication input channels and sends them into 240 output channels.

Using experimental photonic switches manufactured at the Marvell Nanofabrication Laboratory at UC Berkeley, the research team demonstrated signal loss lower than any previously reported, said Seok, who is assistant professor at the Gwangju Institute of Science and Technology in South Korea and a visiting scholar at UC Berkeley.

Addressing industry needs with advanced optical switching

The telecommunications industry long ago embraced fiber-optic technology as a better solution to meet exploding demand for higher speeds and greater capacity data transmission over the electrical copper



wires of old. Now a similar revolution is occurring at the points where the messages transmitted over long-haul fibers are sent and received. Instead of power-hungry electrical switches that require optical-electricaloptical conversions and cause signal loss, researchers are developing and deploying photonic switches to improve transmission quality and link a single transmission to tens and sometimes thousands of servers.

In particular, silicon-based photonic switches using advanced complementary metal-oxide semi-conductor (CMOS) technology are drawing a lot of attention from researchers as a powerful platform due to their low cost and high capacity. They have the potential to replace electrical switches, which will soon face scalability limits in performance and energy efficiency. In order to realize this potential, researchers are now working to overcome limitations related to the size of today's silicon photonic chips and improve their performance.

"Recently, many research groups competitively reported silicon photonic switches with large input/ouput port counts," said Seok. However, the physical size of a silicon photonic chip has been limited to 2 to 3 cm because of the limitations of the lithography tools necessary to etch the required geometric patterns on the <u>silicon wafers</u> used as a base for the integrated chips.

Seok and his colleagues overcame this limitation by using a process known as lithography stitching, creating a wafer-scale 240x240 silicon photonic switch by stitching together nine 80x80 switch blocks in a 3x3 array, with three input and three output coupler blocks. The switches developed as part of the experiment coupled light coming in and out of the chip through grating couplers. The switch cells were actuated by electrical probes.

The resulting switch area was 4 cm x 4 cm—nearly doubling the size of existing silicon photonic switches. "To the best of our knowledge, this is



the largest integrated photonic switch ever reported on any platform," Seok said.

Measured results from the experimental switch also broke records. "The on-chip loss to port-count ratio (0.04 dB/port) is the lowest demonstrated," Seok added.

"This technology can be applied not only to silicon photonic switches but also to any <u>silicon</u> photonics applications that require ultra-large-scale devices such as programmable photonic processors, and so on," Seok said.

Provided by Optical Society of America

Citation: Integrated silicon photonic switch has lowest signal loss in high-speed data transmission (2019, February 28) retrieved 22 May 2024 from <u>https://phys.org/news/2019-02-silicon-photonic-lowest-loss-high-speed.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.