

Autonomous weed control via smart robots

March 27 2019



Driving across Iowa, Hendrik J. Viljoen, distinguished professor of chemical and biological engineering at the University of Nebraska, noticed that soybean fields were becoming increasingly infested with weeds each season. The culprit is a glyphosate-resistant weed called "palmer amaranth," which is threatening crops in the Midwest.

One pesticide currently used for controlling [palmer amaranth](#) is

"Dicamba," but it has devastating effects on adjacent areas, harming trees and other crops, because it tends to drift when sprayed during windy conditions.

As a firm believer in the concept that our well-being is closely tied to the health of the crops and animals within our [food chain](#), Viljoen reports in the journal *Physics of Fluids*, that he was inspired to create a way to spot treat weeds that eliminates any risk of pesticide drift.

"A pesticide solution can be stabilized on a rotating horizontal cylinder/roller akin to a wooden honey dipper," said Viljoen. "Its stability depends on the speed at which the applicator rotates. But the roller is only one part of a bigger process, and there are some technical details regarding the roller that we're also addressing, namely replenishing the pesticide load via wicking from a reservoir at the center of the cylinder."

The manner in which pesticides are applied to plants makes a difference. They can be sprayed from the top of the leaf, rolled on, or delivered by a serrated roller to simultaneously scuff it and apply the pesticide. "We will only arrive at an optimum design if we understand how the active ingredient in the pesticide is delivered to the [weed](#), how it enters the phloem (the plant's vascular system that transports the active ingredient), and the efficacy of its killing mechanism," Viljoen explained.

To apply the pesticide to weeds, rollers can be mounted onto [small robots](#) or tractors. "Our current research objective is to develop a system where unmanned aerial vehicles image fields and feed the images to trained neural networks to identify the weeds," he said. "The information on weed species and their exact location will then be used by the robots to spot treat the weeds."

One key finding by Viljoen's group is that the preferred way to operate

the roller is to rotate it so that the original velocity at the roller's underside coincides with the direction the robot is traveling. They're now doing experiments to determine any uptake bias for palmer amaranth, as well as exploring making part of the roller's surface serrated. "The idea is to physically penetrate the epidermis to enhance the amount of [active ingredient](#) that's delivered to the weed," he said. "To broaden our understanding, we've developed a mathematical model of the transport of the pesticide in the phloem."

The significance of this work is that while there's increasing pressure to produce enough food for a growing population, the current approach is unsustainable. The trend today is to use increased amounts and more potent chemicals to control weeds and invasive species that have developed resistance to previously effective pesticides.

"We must minimize the impact of our practices on the environment and reduce the use of chemicals, their residues and metabolites within our food chain and on the greater ecology," Viljoen said. "Technologies exist that can help us achieve these goals. Precision spray technologies use artificial intelligence to identify weeds and only spray specific areas, but we can do better. We should eliminate the risk of drift and minimize exposure of crops and soil to pesticides."

Developing a drift-free, weed-specific applicator will pave the way for autonomous weed control with smart robots. "At this stage, we can't envision the full utility of these robots, but they offer us the opportunity to survey fields and alert us to disease breakouts, blights or nematodes," said Viljoen. "In the future, the roller—with some modifications—could also be used to deliver small RNA molecules to plants. Smaller farm operations that focus on specialized products will likely be the first adopters of the technology."

More information: Heather Newell et al, Stability analysis of a thin

film on a rotating cylinder with low airflow, *Physics of Fluids* (2019).
[DOI: 10.1063/1.5080443](https://doi.org/10.1063/1.5080443)

Provided by American Institute of Physics

Citation: Autonomous weed control via smart robots (2019, March 27) retrieved 28 April 2024
from <https://phys.org/news/2019-03-autonomous-weed-smart-robots.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--