

## **Biologists report which animals are captured by the carnivorous waterwheel plant**

March 26 2019



Leaves form the traps: the fast traps of the carnivorous waterwheel plant inspired Freiburg researchers to analyze and abstract their motion principle for the development of a biomimetic shading system for building facades. Credit: Plant Biomechanics Group Freiburg

Freiburg biologists Dr. Simon Poppinga, Anna Westermeier and Prof. Dr. Thomas Speck, working in cooperation with researchers from the Ruhr University Bochum and the Institute of Botany of the Czech Academy of Sciences in Třeboň (Czech Republic), have for the first time reconstructed in detail the menu of the carnivorous waterwheel



plant (Aldrovanda vesiculosa). The study shows that the plant is not fussy about what it eats, and catches anything and everything that fits into its trap and triggers the snap mechanism. The team has published its results in the open-access journal *Integrative Organismal Biology*.

Using its snap traps, which are only a few millimeters in size, the waterwheel plant catches prey animals that live underwater. The traps snap shut within about 20 milliseconds of mechanical stimulation. The basic trapping principle of the waterwheel plant is the same as the terrestrial Venus flytrap (Dionaea muscipula). However, the two types differ not only with regard to the mediums in which they live, but also in the size, rapidity and movement mechanics of their traps.

The researchers believe it is important to establish whether the <u>plants</u> have adapted to catching special types of prey in order to better understand their ecology and evolution. This knowledge is also key to possible conservation measures, because loss of suitable habitat is threatening the waterwheel plant with extinction.

The scientists undertook comparative analyses of the prey composition of a total of eight different populations of the waterwheel plant in Germany and the Czech Republic. This showed that the prey's mode of locomotion is irrelevant to Aldrovanda, because besides fast-swimming prey, the researchers also often found slow-crawling animals such as snails in the traps. The 43 prey taxa identified ranged from tiny water mites to comparatively large mosquito larvae and back swimmers that barely fit into the traps. Likewise, the trap size does not act as a morphological filter for certain prey sizes, as large traps also contained small prey animals (and vice versa). Since the <u>waterwheel</u> plant occurs in highly fragmented habitats, which may be very different in terms of the composition of their animal inhabitants, the diverse diet of Aldrovanda could be an advantage over a stricter prey specialization, the researchers speculate.



The Plant Biomechanics Group at the Botanical Garden of the University of Freiburg has a research focus into the investigation of plant movement principles, especially the fast traps of carnivorous plants. The team has already investigated the Aldrovanda traps in respect to their biomechanics and functional morphology as part of an international research cooperation and have transferred their deformation principle into a biomimetic facade shading, the Flectofold.



The flowers of the bird-of-paradise plant provided the inspiration for Flectofin, the first bionic shade developed by biologists at the University of Freiburg. Credit: JuergenL/Fotolia





The waterwheel plant's name comes from the leaves that resemble the spokes of a wheel. Credit: Plant Biomechanics Group Freiburg





The new Flectofold elements are easier to fit to curved surfaces than its predecessor, Flectofin. Credit: ITKE & ITFT

**More information:** M Horstmann et al. Comparative Prey Spectra Analyses on the Endangered Aquatic Carnivorous Waterwheel Plant (Aldrovanda vesiculosa, Droseraceae) at Several Naturalized Microsites in the Czech Republic and Germany, *Integrative Organismal Biology* (2019). DOI: 10.1093/iob/oby012

Provided by Albert Ludwigs University of Freiburg



Citation: Biologists report which animals are captured by the carnivorous waterwheel plant (2019, March 26) retrieved 24 May 2024 from <u>https://phys.org/news/2019-03-biologists-animals-captured-carnivorous-waterwheel.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.