


Chemists show that sodium can be safely used for cross-coupling reactions

March 22 2019, by Bob Yirka



Preparation of organometallic compounds and the subsequent cross-coupling reactions. a, Transition-metal-catalysed cross-coupling reactions. b, Common

methods for preparation of organozinc and organoboron compounds from organolithium and organomagnesium compounds. c, This report: preparation of organozinc and organoboron compounds from organosodium compounds and the subsequent cross-coupling reactions. Ar, aryl. Credit: *Nature Catalysis* (2019). DOI: 10.1038/s41929-019-0250-6

A trio of chemists at Okayama University has published a paper in the journal *Nature Catalysis* outlining the manner in which sodium can be safely used for cross-coupling reactions. In their paper, Sobi Asako, Hirotaka Nakajima and Kazuhiko Takai describe relatively safe ways to produce organosodium molecules.

In chemistry, [cross-coupling](#) reactions join two [organic compounds](#) using a metal as a catalyst. One metal commonly used for such reactions is [lithium](#), which is notably rare. Chemists know [sodium](#) is a possible catalyst, and is a far more common element—the researchers point out that it is the most abundant alkali metal in both the Earth's crust and in the ocean. But chemists also know that using sodium in such reactions is dangerous—the slightest mistake can result in a fire. A student at UCLA died from [severe burns](#), for example, in 2008, when a syringe malfunction caused a fire. In their paper, Asako, Nakajima and Takai argue that there are safer ways to use sodium and outline a method.

The researchers note that they began rethinking the idea of using sodium in cross-coupling reactions at the urging of a company that makes dispersions using sodium particles. They wanted to know if it might be possible to use sodium-in-paraffin oil as part of their work. The researchers thought it might be possible because some chemists have been converting aryl chlorides into arylsodiums through the use of sodium dispersions for many years.

The researchers used a similar approach, creating arylsodiums under inert atmospheres and then using them right away to instigate other transformations. They report that doing so showed that arylsodiums could be created easily and relatively safely using aryl chlorides, which could then be used for cross-coupling reactions. They demonstrated the possibility by performing transmetallations to zinc and then using the result to carry out Negishi and Suzuki–Miyaura cross-couplings. The researchers acknowledge that the scope of applications is currently limited, but suggest there might be ways to overcome roadblocks. But they also suggest that other researchers might want to replicate their work as part of efforts to reduce the use of lithium in commercial applications.

More information: Sobi Asako et al. Organosodium compounds for catalytic cross-coupling, *Nature Catalysis* (2019). [DOI: 10.1038/s41929-019-0250-6](https://doi.org/10.1038/s41929-019-0250-6)

© 2019 Science X Network

Citation: Chemists show that sodium can be safely used for cross-coupling reactions (2019, March 22) retrieved 30 April 2024 from <https://phys.org/news/2019-03-chemists-sodium-safely-cross-coupling-reactions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.