


New shapes of laser beam 'sneak' through opaque media

March 4 2019



By shaping its spatial wavefront, a laser beam can propagate through a strongly scattering medium without lateral diffusion. In addition, the backscattering of light is suppressed. Credit: Yale University

Researchers have found a way to pre-treat a laser beam so that it enters opaque surfaces without dispersing—like a headlight that's able to cut through heavy fog at full strength.

The discovery from scientists at Yale University and the Missouri University of Science & Technology has potential applications for deep-tissue imaging and optogenetics, in which [light](#) is used to probe and manipulate cells in living tissue.

A study announcing the technique appears in the March 4 edition of the journal *Nature Photonics*.

"Typically, an optical beam propagating through a diffusive medium such as fog will spread laterally, but we have discovered that a special preparation of the [laser beam](#) can transmit all incoming light without lateral spread," said principal investigator Hui Cao, the John C. Malone Professor of Applied Physics and of Physics at Yale.

The researchers used a [spatial light modulator](#) (SLM) and a charge-coupled device (CCD) camera to analyze an opaque material that is made of a layer of white paint. The SLM tailored the laser beam incident on the front surface of the material, and the CCD camera records intensity profiles behind it. With this information, the laser finds a "route" through the white paint.

The result is a [beam](#) that is more concentrated, with more light per volume inside and behind the opaque material. In addition to a layer of white paint, the materials in which the [laser](#) would be effective include biological tissue, fog, paper, and milk.

"Our method works for any opaque medium that does not absorb light," Cao said.

The first author of the study is Yale postdoctoral research associate Hasan Y?lmaz. Additional authors are Yale postdoctoral researcher Chia Wei Hsu and Missouri University of Science and Technology associate professor Alexey Yamilov.

"Enhancing optical energy in opaque scattering media is extremely important in optogenetics and deep-tissue imaging," Y?lmaz said.
"Currently, penetration depth to probe and stimulate or image neurons inside the brain tissue is limited due to multiple-scattering."

More information: Transverse localization of transmission eigenchannels, *Nature Photonics* (2019). [DOI: 10.1038/s41566-019-0367-9](https://doi.org/10.1038/s41566-019-0367-9) ,
www.nature.com/articles/s41566-019-0367-9

Provided by Yale University

Citation: New shapes of laser beam 'sneak' through opaque media (2019, March 4) retrieved 1 May 2024 from <https://phys.org/news/2019-03-laser-opaque-media.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--