


Researchers discover a new mechanism used by bacteria to evade antibiotics

March 7 2019



Magnesium ions bind to ribosomes and increase antibiotic resilience. Credit: Leticia Galera-Laporta, Universitat Pompeu Fabra

As bacteria continue to demonstrate powerful resilience to antibiotic treatments—posing a rising public health crisis involving a variety of infections—scientists continue to seek a better understanding of bacterial defenses against antibiotics in an effort to develop new treatments.

Now, researchers at the University of California San Diego who combine experiments and mathematical modeling have discovered an unexpected mechanism that allows [bacteria](#) to survive [antibiotics](#).


As described in the March 7 early online release of the journal *Cell*, Dong-yeon Lee, Maja Bialecka-Fornal and Gürol Süel of UC San Diego's Division of Biological Sciences, along with Leticia Galera-Laporta of the Universitat Pompeu Fabra (Spain), and colleagues discovered that bacteria defend themselves against antibiotics by controlling the uptake of alkaline metal ions. When under attack by antibiotics, bacteria were found to modulate magnesium ion uptake in order to stabilize their ribosomes—the fundamental molecular machines of life that translate genes into proteins—as a survival technique.

"We have found an unexpected new mechanism that actively growing bacteria utilize to become resilient against antibiotics," said Süel, a professor of molecular biology. "With this discovery we can now explore new ways to combat infections that we couldn't have thought of before."

The researchers investigated the relationship between ribosome activity and the electrochemical flux of ions across cell membranes. This membrane potential and ribosomes are among the most ancient and

fundamental processes that operate in all living cells, from bacteria to humans. The scientists identified a distinct connection that "reveals how these ancient and fundamental cellular processes that are essential for life are interacting with each other," said Süel.

The new findings lay the scientific groundwork for new ways to counteract [antibiotic resistance](#).



Heterogeneity in membrane potential of *Bacillus subtilis* cells. Colors indicate membrane potential. Credit: Süel Lab, UC San Diego

"Antibiotic resistance is a major public threat to our health," said Süel. "The number of drugs coming onto the market is not keeping up with the ability of bacteria to cope with those drugs."

Süel believes scientists may be able to boost the potency of existing antibiotic drugs by manipulating the ability of bacteria to take up magnesium, rather than having to develop completely new drugs. The potency of certain classes of antibiotics that are used to treat serious infections might be greatly improved by restricting how bacteria take up magnesium, thus interfering with bacteria's ability to use charged magnesium ions in defenses against antibiotics.

Provided by University of California - San Diego

Citation: Researchers discover a new mechanism used by bacteria to evade antibiotics (2019, March 7) retrieved 2 May 2024 from <https://phys.org/news/2019-03-mechanism-bacteria-evade-antibiotics.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--