


Nitrogen dioxide pollution mapped

March 13 2019



Measurements gathered by the Copernicus Sentinel-5P mission between April and September 2018 have been averaged to reveal nitrogen dioxide in the atmosphere. The data were averaged and gridded on a regular latitude-longitude grid of about 2 x 2 km. Nitrogen dioxide pollutes the air mainly as a result of traffic and the combustion of fossil fuel in industrial processes. It has a significant impact on human health, contributing particularly to respiratory problems. Credit: contains modified Copernicus data (2018), processed by KNMI

New maps that use information from the Copernicus Sentinel-5P satellite reveal nitrogen dioxide emission being released into the

atmosphere in cities and towns across the globe.


Air pollution is a global environmental health problem that is responsible for millions of people dying prematurely every year. With [air quality](#) a serious concern, the Copernicus Sentinel-5P satellite was launched in October 2017 to map a multitude of air pollutants around the globe.

The satellite carries the most advanced sensor of its type to date: Tropomi. This state-of-the-art instrument detects the unique fingerprint of atmospheric gases to image air pollutants more accurately and at a higher spatial resolution than ever before.

"The European Commission is extremely satisfied with the performance of its satellite," says Mauro Facchini from the European Commission. "It is a major step forward for Copernicus and European Union's capacity to monitor air quality."

It has already delivered key information on sulphur dioxide and carbon monoxide, for example. Now measurements gathered between April and September 2018 have been averaged to show exactly where nitrogen dioxide is polluting the air.

This kind of pollution results from traffic and the combustion of fossil fuel in industrial processes. It can cause significant health issues by irritating the lungs and can contribute to respiratory problems.




Based on measurements gathered by the Copernicus Sentinel-5P mission between April and September 2018, the image shows high levels of nitrogen dioxide in London, Paris, Brussels, western Germany, Milan and Moscow. Nitrogen dioxide pollutes the air mainly as a result of traffic and the combustion of fossil fuel in industrial processes. It has a significant impact on human health, contributing particularly to respiratory problems. Credit: contains modified Copernicus data (2018), processed by KNMI

Henk Eskes, from the Royal Netherlands Meteorological Institute (KNMI), comments, "The map shows emissions from major cities, but also medium-size towns. With Copernicus Sentinel-5P's Tropomi instrument, we can observe pollution from individual power plants and other industrial complexes, major highways, and we can identify many more ship tracks than we could before.

"The Tropomi instrument has a spatial resolution of 3.5×7 km, compared to the resolution of 24×13 km we had from the Ozone Monitoring Instrument on NASA's Aura mission. Tropomi is basically

ten times better.

"This is very valuable in improving our knowledge on how different sectors contribute to the overall emission of nitrogen oxides."




Based on measurements gathered by the Copernicus Sentinel-5P mission between April and September 2018, the image shows high levels of nitrogen dioxide in Cairo, Lebanon, Dubai and other parts of the Middle East. Nitrogen dioxide pollutes the air mainly as a result of traffic and the combustion of fossil fuel in industrial processes. It has a significant impact on human health, contributing particularly to respiratory problems. Credit: contains modified Copernicus data (2018), processed by KNMI

Claus Zehner, ESA's Copernicus Sentinel-5P mission manager, added, "Although we are not thrilled to see all this pollution, we are very happy to see that the satellite is delivering on its promise.

"The [spatial resolution](#) really sets the mission apart, which is exactly what is needed to monitor [air pollution](#) and understand where it is coming from."

Vincent–Henri Peuch from the European Centre for Medium-Range Weather Forecasts (ECMWF) says, "The Copernicus Atmosphere Monitoring Service, known as CAMS, and operated by ECMWF on behalf of the European Union, is monitoring these nitrogen dioxide data in its daily operations.



Based on measurements gathered by the Copernicus Sentinel-5P mission between April and September 2018, the image shows high levels of nitrogen dioxide emissions in China and Japan. Nitrogen dioxide pollutes the air mainly as a result of traffic and the combustion of fossil fuel in industrial processes. It has a significant impact on human health, contributing in particular to respiratory problems. Credit: contains modified Copernicus data (2018), processed by KNMI


"Current data assimilation tests show a positive impact on the air-quality forecasts, and we expect to upgrade from monitoring to operational assimilation in the coming months."

CAMS senior scientist, Antje Inness, added, "CAMS is indeed testing the use of the nitrogen dioxide data in its global forecasting system and

hopes to operationally implement this later this year."

"The Tropomi data show amazing details, but the combination of forecast models and satellite observations within CAMS adds extra value.

"While Tropomi provides incredible views of pollution hot spots from above, the CAMS global and European forecast models translate this information into concentrations of [nitrogen dioxide](#) and other pollutants at ground level. CAMs then forecasts the values for the next four to five days."



Tropospheric nitrogen dioxide column (in 10^{15} molec/cm²) over Europe on 27 February 2019 at 12:00 from CAMS, assimilating Copernicus Sentinel-5P Tropomi measurements for testing. Credit: contains modified Copernicus data (2018), processed by ECMWF

Provided by European Space Agency

Citation: Nitrogen dioxide pollution mapped (2019, March 13) retrieved 6 May 2024 from <https://phys.org/news/2019-03-nitrogen-dioxide-pollution.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.