


# Super superlattices: The moiré patterns of three layers change the electronic properties of graphene

March 8 2019

---



A graphene layer (black) of hexagonally arranged carbon atoms is placed between two layers of boron nitride atoms, which are also arranged hexagonally with a slightly different size. The overlap creates honeycomb patterns in various sizes. Credit: Swiss Nanoscience Institute, University of Basel

Combining an atomically thin graphene and a boron nitride layer at a slightly rotated angle changes their electrical properties. Physicists at the University of Basel have now shown for the first time the combination with a third layer can result in new material properties also in a three-layer sandwich of carbon and boron nitride. This significantly increases the number of potential synthetic materials, report the researchers in the scientific journal *Nano Letters*.

Last year, researchers in the US caused a big stir when they showed that rotating two stacked graphene layers by a "magical" angle of 1.1 degrees turns graphene superconducting – a striking example of how the combination of atomically thin [materials](#) can produce completely new electrical properties.

## **Precision alignment**

Scientists from the Swiss Nanoscience Institute and the Department of Physics at the University of Basel have now taken this concept one step further. They placed a [layer](#) of graphene between two boron nitride layers, which is often serves to protect the sensitive carbon structure. Doing so, they aligned the layers very precisely with the crystal lattice of the graphene.

The effect observed by the physicists in Professor Christian Schönemberger's team is commonly known as a moiré pattern: when two regular patterns are superimposed, a new [pattern](#) results with a larger periodic lattice.

## **New three-layer superlattice**

Lujun Wang, a member of the SNI Ph.D. School and researcher in Schönemberger's team, also observed effects of this kind of superlattice

when he combined layers of boron nitride and graphene. The atoms are arranged hexagonally in all layers. If they are stacked on top of each other, larger regular patterns emerge, with a size depending on the angle between the layers.

It had already been shown that this works with a two-layer combination of graphene and boron nitride, but the effects due to a second boron nitride layer had not yet been found.

When the physicists from Basel experimented with three layers, two superlattices were formed between the [graphene](#) and the upper and the lower [boron nitride](#) layer, respectively. The superposition of all three layers created an even larger superstructure than possible with only one layer.

Scientists are very interested in these types of synthetic materials, since the different moiré patterns can be used to change or artificially produce new electronic material properties.

"To put it simply, the atomic patterns determine the behavior of electrons in a material, and we are combining different naturally occurring patterns to create new synthetic materials," explains Dr. Andreas Baumgartner, who supervised the project. "Now we have discovered effects in these tailor-made electronic devices that are consistent with a three-layer superstructure," he adds.

**More information:** Lujun Wang et al. New Generation of Moiré Superlattices in Doubly Aligned hBN/Graphene/hBN Heterostructures, *Nano Letters* (2019). [DOI: 10.1021/acs.nanolett.8b05061](https://doi.org/10.1021/acs.nanolett.8b05061)

Provided by University of Basel

Citation: Super superlattices: The moiré patterns of three layers change the electronic properties of graphene (2019, March 8) retrieved 26 April 2024 from <https://phys.org/news/2019-03-super-superlattices-moir-patterns-layers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.