


Breezing through the space environment of Barnard's Star b

April 15 2019



A diagram of the star systems closest to the sun (the year when the distance was determined is in parenthesis.) Astronomers have concluded that the planet orbiting Barnard's Star might have an atmosphere despite the star's being an M-dwarf, a star that typically produces strong winds and adverse space weather. Credit: NASA/Penn State University

The closest exoplanet to us, if we include only single stars like the Sun, is the planet around Barnard's Star, Barnard's Star-b ("BSb"). (The planet Proxima Centauri-b is closer, but Proxima Cen is part of a triple-star system with Alpha and Beta Centauri, and understanding the evolutionary development of the planet is more complicated.) BSb orbits at a distance similar to that of Mercury around the Sun, but Barnard's Star is a cool M-dwarf star and so despite the planet being close to the star it probably resides near the snow line – the distance where stellar irradiation is weak enough to allow volatile elements to condense onto the planet's surface. This makes BSb an especially interesting planet and possibly a keystone for future progress understanding planet formation and atmospheric evolution.

Extreme stellar activity and winds, especially in M dwarf [stars](#), play an important role in the development of a planet and its atmosphere. These kinds of activity are linked to a star's magnetic activity, but unfortunately models are still unable to predict how atmospheric initial conditions evolve under intense radiation environments. Nevertheless, progress has been made using simple models. In the case of Proxima Centauri b, scientists have found that it is probably subject to wind pressures ten thousand times larger than occur at the Earth. Might stellar wind effects also be disrupting any atmosphere on Barnard's Star b?

CfA astronomers Julian Alvarado-Gomez, Cecilia Garraffo, Jeremy Drake, and Sofia Moschou and their colleagues conclude otherwise. The scientists note that BSb is much farther away from its star than is Proxima Cen b, well outside of the domain of the star's corona. Moreover, an analysis of Barnard Star's rotation and other properties implies that it is much older, between about seven and ten billion years, and any magnetic field processes should be considerably smaller. The astronomers conclude that although today the planet Barnard's Star b may have a relatively mild space climate (comparable, nevertheless, to bad space weather conditions for Earth), in its early years it probably did

undergo significant disruption. Today, however, BSb might retain an atmosphere that could be studied.

More information: Julián D. Alvarado-Gómez et al. Breezing through the space environment of Barnard's Star b. arXiv:1901.00219 [astro-ph.SR]. arxiv.org/abs/1901.00219

Provided by Harvard-Smithsonian Center for Astrophysics

Citation: Breezing through the space environment of Barnard's Star b (2019, April 15) retrieved 9 April 2024 from <https://phys.org/news/2019-04-breezing-space-environment-barnard-star.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--