

More than 90% of glacier volume in the Alps could be lost by 2100

April 9 2019



Gorner glacier at the end of the summer of 2017. The glacier is located in the Monte Rosa massif and is the second largest glacier of the European Alps. Credit: M. Huss



New research on how glaciers in the European Alps will fare under a warming climate has come up with concerning results. Under a limited warming scenario, glaciers would lose about two-thirds of their presentday ice volume, while under strong warming, the Alps would be mostly ice free by 2100. The results, now published in the European Geosciences Union (EGU) journal *The Cryosphere*, are presented today at the EGU General Assembly 2019 in Vienna, Austria.

The study, by a team of researchers in Switzerland, provides the most upto-date and detailed estimates of the future of all glaciers in the Alps, around 4000. It projects large changes to occur in the coming decades: from 2017 to 2050, about 50% of glacier volume will disappear, largely independently of how much we cut our <u>greenhouse gas emissions</u>.

After 2050, "the future evolution of glaciers will strongly depend on how the climate will evolve," says study-leader Harry Zekollari, a researcher at ETH Zurich and the Swiss Federal Institute for Forest, Snow and Landscape Research, now at Delft University of Technology in the Netherlands. "In case of a more limited <u>warming</u>, a far more substantial part of the glaciers could be saved," he says.

Glacier retreat would have a large impact on the Alps since glaciers are an important part of the region's ecosystem, landscape and economy. They attract tourists to the mountain ranges and act as natural fresh water reservoirs. Glaciers provide a source of water for fauna and flora, as well as for agriculture and hydroelectricity, which is especially important in warm and dry periods.

To find out how Alpine glaciers would manage in a warming world, Zekollari and his co-authors used new computer models (combining ice flow and melt processes) and observational data to study how each of these ice bodies would change in the future for different emission scenarios. They used 2017 as their 'present day' reference, a year when



Alpine glaciers had a total volume of about 100 cubic kilometres.

Under a scenario implying limited warming, called RCP2.6, emissions of greenhouse gases would peak in the next few years and then decline rapidly, keeping the level of added warming at the end of the century below 2°C since pre-industrial levels. In this case, Alpine glaciers would be reduced to about 37 cubic kilometres by 2100, just over one-third of their present-day volume.

Under the high-emissions scenario, corresponding to RCP8.5, emissions would continue to rise rapidly over the next few decades. "In this pessimistic case, the Alps will be mostly ice free by 2100, with only isolated ice patches remaining at high elevation, representing 5% or less of the present-day ice volume," says Matthias Huss, a researcher at ETH Zurich and co-author of *The Cryosphere* study. Global emissions are currently just above what is projected by this scenario.

The Alps would lose about 50% of their present glacier volume by 2050 in all scenarios. A reason why volume loss is mostly independent of emissions until 2050 is that increases in mean global temperature with increasing greenhouse gases only become more pronounced in the second half of the century. Another reason is that glaciers at present have 'too much' ice: their volume, especially at lower elevations, still reflects the colder climate of the past because glaciers are slow at responding to changing climate conditions. Even if we manage to stop the climate from warming any further, keeping it at the level of the past 10 years, glaciers would still lose about 40% of their present-day volume by 2050 because of this "glacier response time," says Zekollari.

"Glaciers in the European Alps and their recent evolution are some of the clearest indicators of the ongoing changes in climate," says ETH Zurich senior co-author Daniel Farinotti. "The future of these <u>glaciers</u> in indeed at risk, but there is still a possibility to limit their future losses."



More information: Zekollari, H., Huss, M., and Farinotti, D.: Modelling the future evolution of glaciers in the European Alps under the EURO-CORDEX RCM ensemble, *The Cryosphere* (2019). <u>DOI:</u> <u>10.5194/tc-13-1125-2019</u>

Provided by European Geosciences Union

Citation: More than 90% of glacier volume in the Alps could be lost by 2100 (2019, April 9) retrieved 2 May 2024 from <u>https://phys.org/news/2019-04-glacier-volume-alps-lost.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.