

Journey to the Big Bang through the lithium of a Milky Way star

April 3 2019



Credit: Instituto de Astrofísica de Canarias

Researchers at the Instituto de Astrofísica de Canarias (IAC) and the University of Cambridge have detected lithium in a primitive star in our galaxy. The observations were made at the VLT, at the Paranal Observatory of ESO in Chile.

In astrophysics, any element heavier than hydrogen and helium is termed



"metal" and lithium is among the lightest of these metals. Researchers at the IAC and the University of Cambridge have been able to detect lithium in a primitive star. This is the star J0023+0307, discovered a year ago by the same team of scientists with the Gran Telescopio Canarias (GTC) and the William Herschel Telescope (WHT) of the Observatorio del Roque de los Muchachos.

This discovery could give crucial information about the creation of atomic nuclei ("nucleosynthesis") in the Big Bang. "This primitive star surprises us for its high lithium content, and its possible relation to the primordial lithium formed in the Big Bang," notes David Aguado, a researcher associated with the University of Cambridge and formerly doctoral student of the IAC/ULL, who is the lead author on this article.

This star is similar to our sun, but with a much poorer metal content, less than one thousandth part of that of the solar metallicity. This composition implies that we are dealing with a star which was formed in the first 300 million years of the universe, just after the supernovae marking the final phases of the first massive stars in our galaxy.





Credit: Instituto de Astrofísica de Canarias

"The lithium content of this primitive star is similar to that of other metal poor stars in the halo of our galaxy, and they define, roughly, a constant value, independent of the value of the metal content of the star," explains Jonay González Hernández, a Ramón y Cajal researcher at the IAC, a co-author of the article.

Lithium, synthesized in the Big Bang, is a very fragile metal which is easily destroyed in the interiors of stars by nuclear reactions at a temperature of 2,5 million degrees or above. As the base of the atmosphere of this type of <u>metal</u>-poor stars does not reach this temperature the lithium remains in them for practically the whole of their lives.

J0023+0307 is still on the main sequence, the phase in which stars spend



the greater part of their lives, and its age is almost that of the universe. "Our star J0023+0307 retains this constant lithium content in a star with a very low metallicity, and so we understand that the <u>lithium</u> must have formed in an even earlier phase in the evolution of the universe" adds Carlos Allende, an IAC researcher who is another author on the paper.



Credit: Instituto de Astrofísica de Canarias

Instruments

These measurements were made using high resolution spectroscopy on one of the telescopes comprising the Very Large Telescope (VLT), 8,2m, at the Paranal Observatory of ESO in Chile.

The star was discovered using spectroscopy with the instruments ISIS on



the WHT (4,2m) and OSIRIS on the GTC (10,4m) both at the Roque de los Muchachos Observatory of the IAC (Garafía, La Palma).



Credit: Instituto de Astrofísica de Canarias

More information: David S. Aguado et al. Back to the Lithium Plateau with the [Fe/H] –6 Star J0023+0307, *The Astrophysical Journal* (2019). DOI: 10.3847/2041-8213/ab1076

Provided by Instituto de Astrofísica de Canarias

Citation: Journey to the Big Bang through the lithium of a Milky Way star (2019, April 3)



retrieved 30 April 2024 from https://phys.org/news/2019-04-journey-big-lithium-milky-star.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.