


Meteoroid strikes eject precious water from moon

April 15 2019, by Elizabeth Zubritsky



Artist's concept of the LADEE spacecraft (left) detecting water vapor from meteoroid impacts on the Moon (right). Credit: NASA/Goddard/Conceptual Image Lab

Researchers from NASA and the Johns Hopkins University Applied Physics Laboratory in Laurel, Maryland, report that streams of meteoroids striking the Moon infuse the thin lunar atmosphere with a short-lived water vapor.

The findings will help scientists understand the history of lunar <u>water</u>—a potential resource for sustaining long term operations on the Moon and



human exploration of deep space. Models had predicted that meteoroid impacts could release water from the Moon as a vapor, but scientists hadn't yet observed the phenomenon.

Now, the team has found dozens of these events in data collected by NASA's Lunar Atmosphere and Dust Environment Explorer. LADEE was a robotic mission that orbited the Moon to gather detailed information about the structure and composition of the thin lunar atmosphere, and determine whether dust is lofted into the lunar sky.

"We traced most of these events to known meteoroid streams, but the really surprising part is that we also found evidence of four meteoroid streams that were previously undiscovered," said Mehdi Benna of NASA's Goddard Space Flight Center in Greenbelt, Maryland, and the University of Maryland Baltimore County. Benna is the lead author of the study, published in *Nature Geoscience*.

The newly identified meteoroid streams, observed by LADEE, occurred on January 9, April 2, April 5 and April 9, 2014.

There's evidence that the Moon has water (H2O) and hydroxyl (OH), a more reactive relative of H2O. But debates continue about the origins of the water, whether it is widely distributed and how much might be present.

"The Moon doesn't have significant amounts of H2O or OH in its atmosphere most of the time," said Richard Elphic, the LADEE project scientist at NASA's Ames Research Center in California's Silicon Valley. "But when the Moon passed through one of these meteoroid streams, enough vapor was ejected for us to detect it. And then, when the event was over, the H2O or OH went away."

Lunar scientists often use the term "water" to refer to both H2O and OH.



Figuring out how much H2O and how much OH are present is something future Moon missions might address.


LADEE, which was built and managed by NASA's Ames Research Center in California's Silicon Valley, detected the vapor using its Neutral Mass Spectrometer, an instrument built by Goddard. The mission orbited the Moon from October 2013 to April 2014 and gathered detailed information about the structure and composition of the lunar atmosphere, or more correctly, the "exosphere—a faint envelope of gases around the Moon.

To release water, the meteoroids had to penetrate at least 3 inches (8 centimeters) below the surface. Underneath this bone-dry top layer lies a thin transition layer, then a hydrated layer, where <u>water molecules</u> likely stick to bits of soil and rock, called regolith.

From the measurements of water in the exosphere, the researchers calculated that the hydrated layer has a water concentration of about 200 to 500 parts per million, or about 0.02 to 0.05 percent by weight. This concentration is much drier than the driest terrestrial soil, and is consistent with earlier studies. It is so dry that one would need to process more than a metric ton of regolith in order to collect 16 ounces of water.

Because the material on the <u>lunar surface</u> is fluffy, even a meteoroid that's a fraction of an inch (5 millimeters) across can penetrate far enough to release a puff of vapor. With each impact, a small shock wave fans out and ejects water from the surrounding area.





This infographic shows the lunar water cycle based on the new observations from



the Neutral Mass Spectrometer on board the LADEE spacecraft. At the lunar surface, a dry layer overlays a hydrated layer. Water is liberated by shock waves from meteoroid impacts. The liberated water either escapes to space or is redeposited elsewhere on the Moon. Some water is created by chemical reactions between the solar wind and the surface or delivered to the Moon by the meteoroids themselves. However, in order to sustain the water loss from meteoroid impacts, the hydrated layer requires replenishment from a deeper ancient water reservoir. Credit: NASA Goddard/Mehdi Benna/Jay Friedlander

When a stream of meteoroids rains down on the lunar surface, the liberated water will enter the exosphere and spread through it. About twothirds of that vapor escapes into space, but about one-third lands back on the surface of the Moon.

These findings could help explain the deposits of ice in cold traps in the dark reaches of craters near the poles. Most of the known water on the Moon is located in cold traps, where temperatures are so low that <u>water</u> <u>vapor</u> and other volatiles that encounter the surface will remain stable for a very long time, perhaps up to several billion years. Meteoroid strikes can transport water both into and out of cold traps.

The team ruled out the possibility that all of the water detected came from the meteoroids themselves.

"We know that some of the water must be coming from the Moon, because the mass of water being released is greater than the water mass within the meteoroids coming in," said the second author of the paper, Dana Hurley of the Johns Hopkins University Applied Physics Laboratory.

The analysis indicates that <u>meteoroid</u> impacts release water faster than it can be produced from reactions that occur when the solar wind hits the



lunar surface.

"The water being lost is likely ancient, either dating back to the formation of the Moon or deposited early in its history," said Benna.

NASA is leading a sustainable return to the Moon with commercial and international partners to expand human presence in space and bring back new knowledge and opportunities.

More information: Lunar soil hydration constrained by exospheric water liberated by meteoroid impacts, *Nature Geoscience* (2019). DOI: 10.1038/s41561-019-0345-3, www.nature.com/articles/s41561-019-0345-3

Provided by NASA's Goddard Space Flight Center

Citation: Meteoroid strikes eject precious water from moon (2019, April 15) retrieved 21 May 2024 from <u>https://phys.org/news/2019-04-meteoroid-eject-precious-moon.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.