

Researchers use shear forces to create selfassembled supramolecular hydrogel



April 9 2019, by Bob Yirka

Chemical structures and overview of the gelation process. Credit: *Nature Chemistry* (2019). DOI: 10.1038/s41557-019-0235-8

A team of researchers at Southern University of Science and Technology in China has found a way to use shear forces to create a self-assembled supramolecular hydrogel from a sol. In their paper published in the journal *Nature Chemistry*, the researchers describe how they created their hydrogel and some of its properties.

The researchers noted that <u>supramolecular</u> hydrogels are generally destroyed by <u>shear forces</u> resulting in conversion to a sol (a colloid with



solid particles). They were working with bioinspired versions of molecular self-assembly typically seen in nature, such as occurs with self-healing in animals. They noted that in the <u>natural world</u>, such assembly is usually seen in materials with a complex architecture and have very focused functions. Those made in the lab, in contrast to those in nature, have typically been more stable.

As part of their experiments, the researchers added copper ions to a solution of pseudopolyrotaxanes (which were created by threading molecular tubes onto polyethylene glycol chains). They found that when they vigorously shook the cylinder holding their solution, the material inside transformed into a gel. The researchers explain that the shaking exerted shear forces on the ingredients forcing intrachains to become interchains with little to no crosslinking with other pseudopolyrotaxanes.

The researchers report that the gel had promising properties and compared favorably to other gels, and it is <u>stretchable</u> to 30 times its nonstretched length. They also found that it reverted back to a sol when left on a table overnight at room temperature. But shaking it returned it to a gel. They report that the cycle could be repeated up to five times before it began to degrade. They note also that the cycle represents a form of self-healing.

The researchers suggest the form of dissipative self-assembly demonstrated by their experiments would very likely be of use to material scientists because of the gel's ability to mimic natural selfhealing—they suggest it could also prove to be quite adaptive. They also note that the resultant gel was stronger than other structures created using synthetic dissipative self-assembly, and demonstrates better mechanical properties.

More information: Hua Ke et al. Shear-induced assembly of a transient yet highly stretchable hydrogel based on pseudopolyrotaxanes,



Nature Chemistry (2019). DOI: 10.1038/s41557-019-0235-8

© 2019 Science X Network

Citation: Researchers use shear forces to create self-assembled supramolecular hydrogel (2019, April 9) retrieved 19 May 2024 from <u>https://phys.org/news/2019-04-self-assembled-supramolecular-hydrogel.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.