

Smart liquid goes dark in the heat

April 3 2019



(a) Reversible Thermochromic Liquid (ATNW) filled in a quartz cuvette which switches color between transparent and opaque dark brown when applying heat/cool cycles. (b) Transient, well-defined characters produced by a hot-tipped 'pen' writing on a standard filter paper impregnated with the thermochromic liquid. Credit: Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

A smart liquid that darkens dramatically in response to rising temperature has been developed by researchers at A*STAR. The nanowire-based thermochromic liquid's tunable color-changing behavior was retained even after hundreds of heat-cool cycles. This liquid could have applications ranging from smart windows to paper-based



temperature sensors, the researchers say.

Previous thermochromic liquids have usually been based on organic dyes or liquid crystals. Although amenable to industrial-scale production, organic dyes tend to degrade upon exposure to light, while liquid crystals require encapsulation to avoid degradation in air. A thermochromic liquid that overcomes these limitations has been discovered by Wen-Ya Wu and her colleagues from the A*STAR Institute of Materials Research and Engineering, in collaboration with researchers at the National University of Singapore.

Wu's research is focused on semiconductor nanocrystals, which form a colloidal suspension in certain solvents, and which are known for their broad light absorption and high photostability. "While exploring the synthesis of colloidal antimony selenide (Sb2Se3) nanoparticles, we serendipitously discovered that they formed crystalline <u>nanowires</u> upon heating and dissolved into their molecular precursors upon cooling, in a certain mixture of solvents," Wu says.

Thanks to their broad light-absorbing behavior, a vial of Sb_2Se_3 nanowires formed by heating can appear very dark. But a solution of their molecular precursors, which the nanowires revert to upon cooling, are relatively transparent. "This phenomenon formed the basis for developing these materials as liquid-based thermochromics," Wu says.

The team showed that the thermochromic liquid's color-changing behavior is long-lived and robust. A solution of the molecular precursors was stable even after two years in ambient conditions, and could be heated and cooled hundreds of times without any loss of performance. An additional advantage was that the color change <u>transition temperature</u> could be tuned to be anywhere between 35 and 140 degrees Celsius by simply adding a small amount of tin chloride to the mixture. The tin species interact with the selenium precursor, reducing the temperature



for nanowire growth.

When the researchers coated their thermochromic solution on to filter paper, they showed that it could differentiate between cooler and hotter regions of an irregularly heated surface. "Our liquid-based thermochromic system potentially allows coating on to a large variety of surfaces," Wu says. One potential avenue is self-regulating windows that darken on hot days.

The team next plans to use <u>transmission electron microscopy</u> to study the mechanism of reversible nanowire growth, to aid the rational design of new colloidal nanomaterial thermochromics.

More information: Wen-Ya Wu et al. Thermochromism from Ultrathin Colloidal Sb2 Se3 Nanowires Undergoing Reversible Growth and Dissolution in an Amine-Thiol Mixture, *Advanced Materials* (2018). DOI: 10.1002/adma.201806164

Provided by Agency for Science, Technology and Research (A*STAR), Singapore

Citation: Smart liquid goes dark in the heat (2019, April 3) retrieved 1 May 2024 from <u>https://phys.org/news/2019-04-smart-liquid-dark.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.