

Social insecurity also stresses chimpanzees

April 5 2019



To avoid escalation of conflicts and to promote group cohesion male chimpanzees reduce aggressive interactions in times of social instability. Credit: Anna Preis

An international team of researchers from the Max Planck Institute for Evolutionary Anthropology in Leipzig, Germany, conducted behavioral observations and collected urine samples for cortisol analysis of male chimpanzees of the Taï National Park, Ivory Coast, during periods of intense male-male competition. They showed that all males had higher

stress levels during periods of increased male-male competition while aggression rates were actually lower during this time. This may indicate that in times of social instability animals refrain from aggressive actions to avoid escalation of conflicts and to promote group cohesion.

A high social status has substantial health and fitness benefits for [males](#) and females of many social animal species, including humans. However, attaining and maintaining [dominance](#) often comes with elevated energetic costs. "To investigate costs associated with dominance acquisition and maintenance, we examined potential sources of energetic and psychosocial stressors that male chimpanzees might be exposed to on a daily basis, and particularly during periods when males compete intensively over dominance status and mating opportunities," says Anna Preis, first author of the study.

The authors found that urinary [cortisol](#) levels were higher in all males during unstable compared to stable dominance periods, whereas aggression rates showed the reversed pattern, with higher rates in stable periods. In contrast to a previous study in another chimpanzee population, dominance rank and urinary cortisol levels were not associated in either [period](#). These findings indicate that status maintenance is not associated with elevated physiological stress for dominant Taï male chimpanzees, and suggest that status [competition](#) and the uncertainty of dominance relationships within the group exposes all males to psychosocial stress, despite lower rates of aggressive interactions. This supports a number of other studies showing that unpredictability in social relationships is particularly stressful in primates, - including in humans.

"Our study shows that open aggression was not the source of the high [stress levels](#) of males during periods of heightened male-male competition, but that males were affected by the social uncertainty induced by these competitive periods," says Preis. "We investigated two

contexts that induce social instability, competition over status and competition over mating opportunities. For both contexts we found the same pattern: All males, irrespective of dominance rank, had higher stress levels during periods with high male-male competition, while aggression rates and intensities were higher in periods with low male-male competition."

Avoiding aggression

"One of our main findings is that male chimpanzees adjust competitive behaviors to context dependent conditions. When the risk of escalation was high, males avoided aggressive behaviors to diminish the risk of injury," says Roman Wittig, senior author of the study. "Chimpanzees are highly territorial and cooperatively defend their territories against intruders. Male chimpanzees might therefore avoid aggressive behavior when dominance relationships are unclear and unstable, as part of a conflict management strategy that allows them to cooperate as a group during such periods." Conflict management strategies are crucial for the maintenance of stable life in social groups. The study illustrates that wild chimpanzees' contrast personal with group-level costs of aggression to manage their in-group conflicts.

"Our study is of interest for a wide research field. It shows that aggression rates are not always a good indicator of competition intensities and that in future studies avoidance of [aggression](#) and other non-aggressive forms of competitive behavior need to be considered, too," concludes Preis.

More information: Anna Preis et al. Urinary Cortisol, Aggression, Dominance and Competition in Wild, West African Male Chimpanzees, *Frontiers in Ecology and Evolution* (2019). [DOI: 10.3389/fevo.2019.00107](#)

Provided by Max Planck Society

Citation: Social insecurity also stresses chimpanzees (2019, April 5) retrieved 12 May 2024 from <https://phys.org/news/2019-04-social-insecurity-stresses-chimpanzees.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.