

Creating sustainable bioplastics from electricity-eating microbes

April 10 2019, by Talia Ogliore



Credit: AI-generated image (disclaimer)

Electricity harvested from the sun or wind can be used interchangeably with power from coal or petroleum sources. Or sustainably produced electricity can be turned into something physical and useful. Researchers in Arts & Sciences at Washington University in St. Louis have figured out how to feed electricity to microbes to grow truly green,



biodegradable plastic, as reported in the *Journal of Industrial Microbiology and Biotechnology*.

"As our planet grapples with rampant, petroleum-based plastic use and plastic waste, finding sustainable ways to make bioplastics is becoming more and more important. We have to find new solutions," said Arpita Bose, assistant professor of biology in Arts & Sciences.

Renewable energy currently accounts for about <u>11% of total U.S. energy</u> <u>consumption and about 17% of electricity generation.</u>

One of the main issues with renewable <u>electricity</u> is <u>energy storage</u>: how to collect power generated during the sunny and windy hours, and hold it for when it is dark and still. Bioplastics are a good use for that "extra" power from intermittent sources, Bose suggests—as an alternative to battery storage, and instead of using that energy to make a different type of fuel.

Her laboratory is among the first to use microbial electrosynthesis to wrangle a polymer called polyhydroxybutyrate (PHB) from electricityeating microbes. The plastic they are making is "sustainable, carbonneutral and low-cost," Bose said.

"One of the major challenges in bioplastic production is the substrate input, which affects cost," said Tahina Ranaivoarisoa, a research technician in the Bose laboratory and first author of the new paper. "A versatile bacterium such as R. palustris TIE-1—which can effectively use just carbon dioxide, light and electrons from electricity or iron for bioplastic production—broadens the substrates that could be used in bioplastic production."





The light areas in this cell are a polymer called polyhydroxybutyrate, which was grown by TIE-1 cells using only light, carbon dioxide and soluble iron. Credit: Bose laboratory

In a related paper in the journal *Bioelectrochemistry*, Bose's research team illustrated how TIE-1 interacts with various forms of iron while also using electricity as a source of electrons. The researchers were able to improve production rates for PHB by manually coating electrodes that the microbes used with a special kind of rust, which increased their electricity uptake.

Bose believes that microbially derived bioplastics have a future role to play in space, where astronauts could use 3-D printer technology to manufacture their own tools instead of transporting everything ready-made from Earth.

"Our observations open new doors for sustainable <u>bioplastic</u> production not only in resource-limited environments on Earth, but also during <u>space exploration</u> and for in situ resource utilization on other planets," Bose said.

More information: Tahina Onina Ranaivoarisoa et al. Towards sustainable bioplastic production using the photoautotrophic bacterium



Rhodopseudomonas palustris TIE-1, *Journal of Industrial Microbiology* & *Biotechnology* (2019). DOI: 10.1007/s10295-019-02165-7

Karthikeyan Rengasamy et al. An insoluble iron complex coated cathode enhances direct electron uptake by Rhodopseudomonas palustris TIE-1, *Bioelectrochemistry* (2018). DOI: 10.1016/j.bioelechem.2018.03.015

Provided by Washington University in St. Louis

Citation: Creating sustainable bioplastics from electricity-eating microbes (2019, April 10) retrieved 1 May 2024 from https://phys.org/news/2019-04-sustainable-bioplastics-electricity-eating-microbes.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.