

Dexterous herring gulls learn new tricks to adapt their feeding habits

May 9 2019



European Herring Gull preparing Sea Squirt for eating in Dún Laoghaire Marina, Ireland. Credit: Tim Blackburn

Observations of Herring Gulls by scientists from the University of

Southampton have shown how the coastal birds have developed complicated behaviour to 'skin' sea creatures to make them safe to eat. Researchers think this feeding habit may be a response to urbanisation and changes in food availability.

The gulls (*Larus argentatus*) of Dún Laoghaire Marina at Dublin in Ireland have found a novel way of disposing of the tightly fixed outer layer of sea squirts—an organism which they have learnt to pluck from the underside of pontoons by diving or floating on the water.

Sea squirts, or ascidians, are filter feeding creatures which have an outer layer, known as a 'tunic', designed to give protection from predators. This tunic is unpalatable to gulls, however, those living around Dún Laoghaire have overcome this using a particularly clever method.

The birds grasp the sea squirt's tunic in their beaks, shake it to loosen the soft edible inner body, then switch to hold the inner body (again with their beaks) and shake again until the inedible outer layer is removed.

The team's report, published in the journal *Ecosphere*, is the first recorded observation of Herring Gulls feeding using this unusual behaviour.

Project leader Luke Holman, a postgraduate researcher in the School of Ocean and Earth Science at the University of Southampton, comments: "As our coasts have been urbanised over the centuries, gull species have become opportunistic when looking for [food](#). We have all seen them raiding rubbish bins in seaside towns and even swooping to take food straight from people's hands. But our study shows how the gulls of Dún Laoghaire are adapting in a different way—exploiting a new food source by developing a novel, sophisticated feeding strategy.



European Herring Gulls Credit: Tim Blackburn

"Their dexterity and handling ability is unprecedented and they are able to separate the two halves of the organism either while on land or surface swimming. Their complex technique reinforces the general view that gulls are highly versatile predators—skilled at handling objects and foraging."

Sea squirts are very successful fouling organisms that cling to the damp surfaces of coastal structures, such as pontoons, and often become invasive when artificially introduced to new areas. Increased development of coastal areas provides them with ideal habitats for

proliferating. In addition, shipping and recreational boating has encouraged their spread. This has led to them emerging as a potential new food source along increasingly urbanised coastlines.

The researchers are now keen to know if the behaviour of the gulls in Dún Laoghaire is happening in isolation or whether it represents a wider feeding pattern. The Herring Gull is on the Red List of the British Trust for Ornithology (BTO) 'Birds of Conservation Concern 4' because of severe, long-term population decline in the UK and as such it could benefit from new ways of feeding.

More information: Luke E. Holman et al, Observations of a novel predatory gull behavior on an invasive ascidian: A new consequence of coastal urban sprawl?, *Ecosphere* (2019). [DOI: 10.1002/ecs2.2636](https://doi.org/10.1002/ecs2.2636)

Provided by University of Southampton

Citation: Dexterous herring gulls learn new tricks to adapt their feeding habits (2019, May 9) retrieved 5 August 2024 from <https://phys.org/news/2019-05-dexterous-herring-gulls-habits.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.