

Game theory highlights power of local reporting in vaccine decisions

May 23 2019



Individuals are more likely to choose to get vaccinated if they have access to detailed local information on disease prevalence. Credit: FEMA/Mark Wolfe

Computational modeling of social networks suggests that vaccination programs are more successful in containing disease when individuals

have access to local information about disease prevalence. Anupama Sharma of The Institute of Mathematical Sciences in Chennai, India, and colleagues present these findings in *PLOS Computational Biology*.

The success of vaccination programs can eventually undercut their effectiveness when individuals choose not to get vaccinated because they believe they are protected by herd immunity. During an epidemic, a person who previously avoided vaccination may perceive higher risk of infection and choose to get vaccinated. Such decision-making is influenced by the person's access to [information](#) about disease prevalence at the local or global level.

To explore how disease prevalence information influences the success of a vaccination program, Sharma and colleagues employed a computational modeling approach. Using principles of game theory, they probed the relative importance of information about disease prevalence in an individual's local neighborhood versus disease prevalence in the entire population.

The analysis shows that when individuals rely on global [disease prevalence](#) information, for instance obtained from [mass media](#), vaccination is unable to prevent a large section of the population from becoming infected. In contrast, when individuals make vaccination decisions that are appropriate to their immediate circumstances, the final size of an epidemic outbreak may be smaller.

"While mass immunization programs are a crucial bulwark against pandemic outbreaks, it is essential to ensure that incidence information is disseminated strategically," Sharma says. "Our findings argue strongly for a transparent system of disseminating detailed incidence data, whereby individuals have real-time access to [local information](#) and do not rely only on mass media coverage."

Future research could take into account further complexities, such as dynamic social networks that change over the course of an epidemic or individual's varying perceptions of severity between diseases like Ebola and influenza. The authors also suggest that their computational framework could be extended to explore the influence of opinions about vaccination shared over online social networks that are very different from the networks over which a disease spreads.

More information: Anupama Sharma et al, Epidemic prevalence information on social networks can mediate emergent collective outcomes in voluntary vaccine schemes, *PLOS Computational Biology* (2019). [DOI: 10.1371/journal.pcbi.1006977](https://doi.org/10.1371/journal.pcbi.1006977)

Provided by Public Library of Science

Citation: Game theory highlights power of local reporting in vaccine decisions (2019, May 23) retrieved 28 April 2024 from <https://phys.org/news/2019-05-game-theory-highlights-power-local.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--