

How genetics, resources and a long-distant relative helped killifish adapt to extreme pollution

May 2 2019



Atlantic killifish contributed key adaptive genetic variation to the Gulf killifish, which amounted to an evolutionary rescue from toxic pollutants. Credit: Andrew Whitehead/UC Davis



The combination of a big population, good genes and luck helps explain how a species of fish in Texas' Houston Ship Channel was able to adapt to what normally would be lethal levels of toxins for most other species, according to a study to be published May 3 in the journal *Science*.

The exceptional survivor story of the Gulf <u>killifish</u> was one scientists at the University of California, Davis, Baylor University and their coauthoring colleagues wanted to unveil so they could learn more about what other species may need to adapt to drastically changed environments.

The minnow-like Gulf killifish are an important part of the food web for a number of larger fish species in coastal marsh habitats.

"Most species don't survive radically altered environments," said corresponding author Andrew Whitehead, a UC Davis professor of environmental toxicology. "By studying the survivors, we get insight into what it takes to be successful. In the case of the killifish, it came down to huge population sizes and luck."

Surprise Guest

The researchers sequenced the genomes of hundreds of Gulf killifish living across a spectrum of toxicity—from clean water, moderately polluted water and very polluted water. They were searching for the footprints of natural selection that allowed the species to rapidly transition from a fish that is highly sensitive to pollution to one extremely resistant to it.

They were surprised to find that the adaptive DNA that rescued this Gulf Coast species came from an Atlantic Coast species of killifish, which has also been known to rapidly evolve high levels of pollution resistance. But Atlantic Coast killifish live at least 1,500 miles from their Houston



brethren, leaving researchers to think their transport to the Gulf was likely an accident initiated by humans.



Embryos from a resistant (left) and sensitive (right) populations of Fundulus grands dosed at the same concentration of industrial contaminants. Resistant population embryo develops a normal, two chambered, heart with proper blood flow, while sensitive embryo develops a string heart with no blood flow. Right embryo is unlikely to survive to hatch. Credit: Elias Oziolor

Nonnative species can wreak environmental havoc on native species and habitats. But in this case, their arrival in the 1970s—right at a moment when Gulf killifish were likely beginning to decline—amounted to an "evolutionary rescue" from pollution for the Gulf killifish.

"While the vast majority of research on invasive species rightly focuses on the environmental damage they can cause, this research shows that



under rare circumstances they can also contribute valuable genetic variation to a closely related <u>native species</u>, thus acting as a mechanism of evolutionary rescue," said co-corresponding author Cole Matson, an associate professor at Baylor University.

A Cautionary Tale

Gulf killifish began with many advantages other species do not have. Species with large populations can harbor high levels of genetic diversity that can help them adapt to rapid change. Gulf killifish already had among the highest levels of genetic diversity of any species with a backbone. Then, at the moment its population was beginning to decline, a long-distant relative—the Atlantic Coast killifish—came to visit, was able to successfully mate, and injected the Gulf species with genetic resources that helped it develop resilience and resistance to toxins. Whitehead is quick to note that not all species are so lucky.

"The adaptation of these killifish is a cautionary tale," Whitehead said. "It tells us what we need to do better for the vast majority of species that don't have access to the kind of genetic resources killifish have. If we care about preserving biodiversity, we can't expect evolution to be the solution. We need to reduce how much and how quickly we're changing the environment so that <u>species</u> can keep up."

Natural Connections

Humans are not only radically changing the environment, we are also fragmenting it, making it harder for animals to move throughout their range. Whitehead said a key lesson from killifish is the importance of keeping the doors to genetic diversity open. This includes connecting and preserving landscapes to allow for genetic variation to move more freely and naturally. That could help set the stage for more evolutionary



"rescues" in the rapidly changing future.

More information: E.M. Oziolor el al., "Adaptive introgression enables evolutionary rescue from extreme environmental pollution," *Science* (2019). <u>science.sciencemag.org/cgi/doi ... 1126/science.aav4155</u>

Provided by UC Davis

Citation: How genetics, resources and a long-distant relative helped killifish adapt to extreme pollution (2019, May 2) retrieved 26 June 2024 from <u>https://phys.org/news/2019-05-genetics-resources-long-distant-relative-killfish.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.