


Record-shattering underwater sound

May 17 2019, by Ali Sundermier



After blasting tiny jets of water with an X-ray laser, researchers watched left- and right-moving trains of shockwaves travel away from microbubble filled regions. Credit: Claudiu Stan/Rutgers University Newark

A team of researchers has produced a record-shattering underwater sound with an intensity that eclipses that of a rocket launch. The intensity was equivalent to directing the electrical power of an entire city onto a single square meter, resulting in sound pressures above 270 decibels. The team, which included researchers from the Department of Energy's SLAC National Accelerator Laboratory, published their findings on April 10 in *Physical Review Fluids*.

Using the Linac Coherent Light Source (LCLS), SLAC's X-ray laser, the researchers blasted tiny jets of water with short pulses of powerful X-rays. They learned that when the X-ray laser hit the jet, it vaporized the water around it and produced a shockwave. As this shockwave traveled through the jet, it created copies of itself, which formed a "shockwave

train" that alternated between high and low pressures. Once the [intensity](#) of underwater [sound](#) crosses a certain threshold, the water breaks apart into small vapor-filled bubbles that immediately collapse. The pressure created by the shockwaves was just below this breaking point, suggesting it was at the limit of how loud sound can get underwater.

A better understanding of these trains is essential to creating new techniques that ward off damage in miniature samples that are suspended in [water jets](#) to allow their atomic-scale structure to be measured. This could advance research in areas such as biology and [materials science](#), leading to more effective drugs and more efficient materials.

The team was led by Gabriel Blaj, a staff scientist at SLAC and Stanford University, and Claudiu Stan, at Rutgers University Newark. It also included researchers from the Stanford PULSE Institute and the Paul Scherrer Institute in Switzerland. LCLS is a DOE Office of Science user facility. This work was supported by the Department of Energy's Office of Science and Chemical Sciences, Geosciences and Biosciences Division.

More information: Gabriel Blaj et al. Generation of high-intensity ultrasound through shock propagation in liquid jets, *Physical Review Fluids* (2019). [DOI: 10.1103/PhysRevFluids.4.043401](https://doi.org/10.1103/PhysRevFluids.4.043401)

Provided by SLAC National Accelerator Laboratory

Citation: Record-shattering underwater sound (2019, May 17) retrieved 3 May 2024 from <https://phys.org/news/2019-05-record-shattering-underwater.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.