



Scientists find a way to increase the capacity of energy sources for portable electronics

May 28 2019

Carbon Nanowalls



Atomic structure



Credit: Skoltech

Scientists from Skoltech, Moscow State University (MSU) and Moscow Institute of Physics and Technology (MIPT) have proposed a new approach to replacing carbon atoms with nitrogen atoms in the supercapacitor's crystal lattice and developed a novel capacity enhancement method based on carbon lattice modification with the aid of plasma. Their findings can help create the next generation of power sources for portable electronics. The results of their study were published in *Scientific Reports*.

As [portable devices](#) evolve, the demand for new types of energy sources grows. Scientists keep looking for an effective way to improve the performances of electrochemical energy sources. A chemical source of current, the supercapacitor is distinguished by high charge and discharge rates and a higher energy storage capacity per unit mass or volume as compared to a battery. It is customary to use porous materials, such as [carbon](#) or porous metals, for supercapacitors, however metals make the source much heavier. There are several ways of increasing the capacity of electrochemical energy sources while keeping their weight unchanged, for example, by using other lighter elements or incorporating the atoms of another element into the crystal lattice (doping.) The second method is believed to offer better prospects, as it allows easy atom incorporation at the carbon structure synthesis stage. Nitrogen is one of the elements considered for doping. Nitrogen is involved in [redox reactions](#), which leads to an additional increase in capacity. Although scientists have long been aware of the doping method, the effect of nitrogen on the electrochemical characteristics is still poorly understood.

A group of scientists led by Skoltech Senior Researcher Dr. Stanislav Evlashin demonstrated a simple way of increasing the supercapacitors' electrochemical performance. Their approach provides a better insight into the nitrogen incorporation process. The researchers performed the experiments using carbon nanowalls made of vertically oriented graphene sheets, in which they replaced some of the carbon with nitrogen using carbon structure treatment by plasma. The outcomes of the study are an important step towards creating new energy sources.

"In this study, we used a plasma post-treatment approach in order to improve the capacity of the electrodes," explains Dr. Evlashin. "We used carbon structures with a high specific surface area as a material for doping in the nitrogen plasma and replaced a part of [carbon atoms](#) with [nitrogen atoms](#) to enhance the electrochemical capacity of the energy source. This approach can be applied to modify any carbon structure.

The obtained samples were tested using various methods. The [experimental results](#) displayed a six-fold increase in electrochemical capacity and excellent cycling stability. We also performed DFT simulation of the [nitrogen](#) incorporation process that sheds some light on the complex incorporation mechanisms."

More information: Stanislav A. Evlashin et al, N-Doped Carbon NanoWalls for Power Sources, *Scientific Reports* (2019). [DOI: 10.1038/s41598-019-43001-3](#)

Provided by Skolkovo Institute of Science and Technology (Skoltech)

Citation: Scientists find a way to increase the capacity of energy sources for portable electronics (2019, May 28) retrieved 21 July 2024 from <https://phys.org/news/2019-05-scientists-capacity-energy-sources-portable.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.