

Scientists identify a novel strategy to fight viral infections and cancer in animal model

May 30 2019



Cancer cell during cell division. Credit: National Institutes of Health

A potential therapeutic strategy to treat viral infection and boost immunity against cancer is reported in the May 30 online issue of the journal *Cell*.



The work, conducted by scientists at Wake Forest School of Medicine, found that boosting the body's production of type 1 interferon helped clear viral infection and increased immunity against <u>cancer</u> by identifying a sensor involved in suppressing <u>interferon production</u> in an <u>animal model</u>.

Interferons are a group of signaling proteins made and released by host cells in response to the presence of several viruses. In a typical scenario, a virus-infected cell will release interferons causing nearby cells to heighten their anti-viral defenses.

Interferons also help the immune system fight cancer and may slow the growth of cancer cells.

The principal investigator of the study was Hui-Kuan Lin, Ph.D., professor of cancer biology at Wake Forest School of Medicine, part of Wake Forest Baptist Health.

In the study, Lin's team discovered that RIG-I-like receptors (RLR) mediated <u>interferon</u> (IFN) production, which played a pivotal role in elevating host immunity for viral clearance and cancer immune surveillance. They reported that glycolysis, the first step in breaking down glucose to extract energy for cellular metabolism, was inactivated during RLR activity. That inactivation served as the key to turn on type I IFN production.

Using pharmacological and genetic approaches, the scientists showed that lactate reduction by lactate dehydrogenase A (LDHA) inactivation heightened type I IFN production to protect from viral infection in mice.

The study established a critical role of glycolysis-derived lactate in limiting RLR signaling and identified MAVS as a direct sensor of lactate, which functions to connect energy metabolism and innate



immunity, Lin said.

Type I interferons (IFNs), produced by almost all type of cells, played a vital role in host defense against viral infection and cancer immunosurveillance, Lin said.

Lin's team plans to conduct additional studies in other animal models in preparation for potential clinical trials.

More information: Weina Zhang et al, Lactate Is a Natural Suppressor of RLR Signaling by Targeting MAVS, *Cell* (2019). <u>DOI:</u> <u>10.1016/j.cell.2019.05.003</u>

Provided by Wake Forest University Baptist Medical Center

Citation: Scientists identify a novel strategy to fight viral infections and cancer in animal model (2019, May 30) retrieved 6 May 2024 from <u>https://phys.org/news/2019-05-scientists-strategy-viral-infections-cancer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.