


Symbionts as lifesavers

May 15 2019



The pathogen *Legionella* (colored in pink) preferably multiplies in amoebae (light blue). These unicellular organisms measure approximately 50 μm in diameter and often harbor bacterial endosymbionts (green), which inhibit the growth of *Legionella*. This is how they protect amoebae and contribute to reducing the spread of *Legionella* in the environment. Credit: Cecilia Wentrup

When people fall ill from bacterial infection, the first priority is to treat the disease. But where do these pathogens come from, and how do they thrive in the environment before the infection occurs? An international

team led by Matthias Horn from the Centre for Microbiology and Environmental Systems Science at the University of Vienna has tackled this question using an important bacterial pathogen that causes lung disease. The results of their study have been published recently in the scientific journal *mBio*.

Legionella pneumophila is the causative agent of Legionnaire's disease (legionellosis), an atypical pneumonia that is harmless for healthy individuals but can be life-threatening for immunocompromised patients. The number of cases of disease caused by *Legionella* has been on the rise worldwide since 2000, with 228 registered cases and 10 deaths in Austria in 2017 alone. The latest major outbreak in Europe occurred in the Italian city of Brescia in September 2018. More than 400 patients suffered from pneumonia and had to be treated in hospitals.

The natural habitat of *Legionella* are sediments from lakes and rivers, but they also occur in man-made [water systems](#). "They multiply within protozoa such as amoebae, which are ultimately destroyed upon release of the pathogens. It is precisely this property that allows *Legionella* to infect humans. The disease usually only occurs after *Legionella* has proliferated in protozoa," explains Matthias Horn from the newly founded Centre for Microbiology and Environmental Systems Science, who together with his team and scientists from the Institut Pasteur and the University of Michigan has investigated the life cycle of *Legionella* in amoebae.



Lena König, the study's first author and doctoral student at the Centre for Microbiology and Environmental Systems Science, investigates the interaction between bacterial endosymbionts and the pathogen *Legionella pneumophila*.
Credit: Lena König

Protection against pathogens

Legionella are not the only bacteria able to survive in protozoa. Single-celled microeukaryotes such as protozoa often harbor other bacteria that do not harm them, so-called endosymbionts. The team of researchers has now discovered that these bacteria significantly influence the proliferation and spread of *Legionella*. In numerous experiments, they were able to prove that *Legionella* can proliferate less efficiently in amoebae if they contain endosymbionts. Surprisingly, most amoebae

with endosymbionts survive the otherwise lethal infection with Legionella.

"Those bacteria that had previously proliferated in amoebae with endosymbionts were considerably less infectious and were therefore less successful in infecting new amoebae" said Lena König, first author of the study and [doctoral student](#) at the Centre for Microbiology and Environmental Systems Science.

Uncovering the molecular mechanism

To better understand what happens inside amoebae which harbor endosymbionts and are infected by Legionella, the scientists took a closer look at the gene expression of both bacteria. "RNA sequencing allows conclusions to be drawn about biological events that take place within amoebae," explains Cecilia Wentrup, a postdoctoral researcher who played a major role in the project.

König adds: "We found an explanation for the weakened infectivity of Legionella. They seem to lose the competition for nutrients inside the protozoa, which both the pathogen and the natural endosymbiont need to survive". The consequence: Legionella multiply more slowly and cannot produce [virulence factors](#) necessary for the infection of amoeba and humans. For example, the pathogen fails to become mobile and lacks important storage compounds.

From the laboratory to the environment

Yet another observation caught the interest of the researchers. The growth arrest did not only work with commonly used laboratory strains, but also with amoebae freshly extracted from the environment, as well as with recently isolated Legionella. Endosymbionts of amoebae are

therefore a decisive factor for the proliferation and spread of Legionella not only under laboratory conditions, but probably also in the environment. This is particularly important because most [amoebae](#) carry bacterial symbionts under natural conditions. The current study thus contributes significantly to better understand the lifestyle of these bacterial [pathogens](#) in the environment.

More information: Lena König et al. Symbiont-Mediated Defense against Legionella pneumophila in Amoebae, *mBio* (2019). [DOI: 10.1128/mBio.00333-19](#)

Provided by University of Vienna

Citation: Symbionts as lifesavers (2019, May 15) retrieved 25 April 2024 from <https://phys.org/news/2019-05-symbionts-lifesavers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.