

# New textile dyeing method drastically reduces water needed and toxic dye discharge

May 31 2019, by Cal Powell

---



Anuradhi Liyanapathirana is a Ph.D. candidate in the College of Family and Consumer Sciences. Credit: Nancy Evelyn/UGA

Anuradhi Liyanapathirana is passionate about sustainability and protecting the environment through science. A University of Georgia

doctoral student in the College of Family and Consumer Sciences' department of textiles, merchandising and interiors, the Sri Lanka native is researching and helping develop an environmentally friendly textile dyeing method.

Traditional dyeing methods involve a dye bath that requires massive amounts of water, much of it released as toxic wastewater that can damage the environment and be costly to treat.

Liyanapathirana, along with FACS faculty members Sergiy Minko and Suraj Sharma, is researching a better approach using [nanocellulose](#) as a [carrier](#) of [textile](#) dyes that significantly reduces the amount of wastewater and toxic chemicals.

Through a process of homogenization, cellulose, a readily available natural polymer found in the cell wall of green plants, is converted into a hydrogel consisting of nanocellulose fibers.

In this method, researchers dye the nanocellulose hydrogel instead of dyeing the fabric. Compared to cotton fibers, nanocellulose fibers have more surface area with high reactivity, allowing for more efficient attachment of dye molecules.

"My aspiration in life is to make social transformation through science," Liyanapathirana said. "Over the past decades, the development of material science has contributed to advances in electronics, nanotechnology and [sustainable](#) technologies. I've embraced research that enables advancing sustainable materials and sustainable technologies for industry."



Anuradhi Liyanapathirana inspecting a dyed textile. Credit: Nancy Evelyn/UGA



Credit: University of Georgia

Using this technique, UGA researchers have been able to reduce the water needed to dye 1 kilogram of cotton from 19 liters to just 1.9 liters. Recent analysis also indicates a 60% reduction of dye discharge.

Liyanapathirange and the FACS team said they're excited about the potential impact the research can have on the textile industry. They are now looking at ways to upscale the technology to make it applicable to the industrial production process.

UGA is the ideal place to make it happen, Liyanapathirange said, based on its reputation for groundbreaking research bringing new [products](#) to market.

"With the emerging trends on [environmental pollution](#) and population growth, sustainable technologies are the key to accomplishing viable socio-economic development," she said. "I'm confident that our research projects will have a direct contribution to sustainable development, and that we will be able to make a remarkable impact on the world with our innovations and discoveries."

Provided by University of Georgia

Citation: New textile dyeing method drastically reduces water needed and toxic dye discharge (2019, May 31) retrieved 26 March 2023 from <https://phys.org/news/2019-05-textile-dyeing-method-drastically-toxic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.