

Aggressive, non-native wetland plants squelch species richness more than dominant natives do

June 19 2019, by Diana Yates



A marsh in Jasper County, Illinois. While the native Virginia iris dominates the landscape, numerous other native plants also thrive in this wetland. Credit: Michael Jeffords and Susan Post

Dominant, non-native plants reduce wetland biodiversity and abundance more than native plants do, researchers report in the journal *Ecology Letters*. Even native plants that dominate wetland landscapes play better with others, the team found.



The researchers analyzed 20 years of data collected by expert botanists from hundreds of randomly selected sites in Illinois. This allowed them to track changes in the variety and abundance of different plants in the same locations over time.

The dominant non-natives are not just choking out many other plants, the researchers report. They also have a broad ecological footprint, taking over wetlands on a regional level, rather than just in individual sites. This negatively affects populations of birds and insects that rely on the native wetlands.

"The more dominant they are, the less room is available for other <u>species</u>," said Illinois Natural History plant ecologist and botanist Greg Spyreas, who conducted the research with INHS plant ecologist David Zaya and colleagues from the U.S. Geological Survey. "These non-natives become more dominant over time and their impact on the rest of the community is fundamentally different," Spyreas said. "They outcompete better. And that's across hundreds of sites."

For example, a European cultivar of reed canary grass has taken hold in many parts of North America. It grows extremely fast, reduces the light available to other plants, produces enormous numbers of seeds and sends out underground stems to quickly colonize a site, Spyreas said.





A wetland in the Shawnee National Forest in southern Illinois consists of a wide variety of native plants and supports a diversity of birds, mammals and insects. Credit: Paul Marcum

"It creates this very thick thatch of dead material on the ground that other plants can't penetrate—but it can," he said. "It tolerates drought and flooding very well, whereas a lot of <u>native plants</u> cannot."

Another offender, a non-native common reed, Phragmites, "is notable in its aggressiveness," Zaya said. It can quickly crowd out other wetland species, including native Phragmites.

Not all non-native plants reduce the ecological richness of wetlands, Zaya said.

"There are non-natives that sit in the background and don't affect the wetland community," he said. "Also, many native plants will dominate



wetland communities."

Some researchers have hypothesized that it doesn't matter if a dominant plant is native or non-native: Both can drive down the diversity and abundance of other species, Zaya said.



Even though marsh blazingstar (Liatris spicata) dominates this native wetland in Cook County, Illinois, many other native wetland species also thrive here. Credit: Greg Spyreas

But the new study shows that dominant, non-<u>native species</u> are much more likely to radically diminish the biological diversity of a locale than their native counterparts will.

"When I see native- versus non-native-dominated wetlands, it looks like two totally different worlds," Zaya said. "Each native wetland has its



own personality, with a different little flower or forb or rare grass or sedge. No two are the same. But the non-native <u>wetlands</u> tend to look alike. They're the same here as they are in Ohio."

The data also offer insights into how to best maintain wetland diversity, the researchers said.

"If you have a massive database of wetland plants like we do in Illinois, if you look at the numbers, you can isolate the species that are the most problematic," Spyreas said. Five non-native wetland plants are on the "worst offender" list, he said: reed canary grass, a non-native cattail, invasive Phragmites and two European buckthorns.

"If you can eliminate those, you've eliminated 90 percent of the nonnative wetland species problem," Spyreas said.

More information: Ian S. Pearse et al, Non-native plants have greater impacts because of differing per-capita effects and nonlinear abundance–impact curves, *Ecology Letters* (2019). DOI: 10.1111/ele.13284

Provided by University of Illinois at Urbana-Champaign

Citation: Aggressive, non-native wetland plants squelch species richness more than dominant natives do (2019, June 19) retrieved 3 May 2024 from <u>https://phys.org/news/2019-06-aggressive-non-native-wetland-squelch-species.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.