

# Baby pterodactyls could fly from birth

June 12 2019

---



Credit: James Brown

A breakthrough discovery reveals that pterodactyls, extinct flying reptiles, had a remarkable ability—they could fly from birth. The importance of this discovery is highlighted by the fact that no other living vertebrates today, or those in the history of the fossil record, had this ability. This revelation has a profound impact on our understanding

of how pterodactyls lived, which is critical to understanding how the dinosaur world worked as a whole.

Previously, pterodactyls were thought only to be able to take to the air once they had grown to nearly full size, like [birds](#) or bats. This assumption was based on [fossilized](#) embryos of the creatures found in China that had poorly developed wings.

However, Dr. David Unwin, a University of Leicester palaeobiologist who specialises in the study of pterodactyls, and Dr. Charles Deeming, a University of Lincoln zoologist who researches avian and reptilian reproduction, have disproved this hypothesis. They compared these embryos with data on prenatal growth in birds and crocodiles, finding that they were still at an early stage of development and a long way from hatching. The discovery of more advanced embryos in China and Argentina that died just before they hatched provided the evidence that pterodactyls had the ability to fly from birth.

Dr. David Unwin said, "Theoretically, what pterosaurs did, growing and [flying](#), is impossible, but they didn't know this, so they did it anyway."

Another fundamental difference between baby pterodactyls, also known as flaplings, and baby birds or bats, is that they had no parental care and had to feed and look after themselves from birth. Their ability to fly gave them a lifesaving survival mechanism which they used to evade carnivorous dinosaurs. This ability also proved to be one of their biggest killers, as the demanding and dangerous process of [flight](#) led to many of them dying at a very early age.

The research has also challenged the current view that pterodactyls behaved in a similar way to birds and bats and has provided possible answers to some key questions surrounding these animals. Since flaplings were able to both fly and grow from [birth](#), this provides a

possible explanation as to why they were able to reach enormous wingspans, far larger than any historic or current species of bird or bat. How they were able to carry out this process will require further research, but it is a question that wouldn't have been posed without these recent developments in our understanding.

Dr. Deeming added: "Our technique shows that pterosaurs were different from birds and bats and so comparative anatomy can reveal novel developmental modes in extinct species."

**More information:** David Michael Unwin et al. Prenatal development in pterosaurs and its implications for their postnatal locomotory ability, *Proceedings of the Royal Society B: Biological Sciences* (2019). [DOI: 10.1098/rspb.2019.0409](https://doi.org/10.1098/rspb.2019.0409)

Provided by University of Leicester

Citation: Baby pterodactyls could fly from birth (2019, June 12) retrieved 18 April 2024 from <https://phys.org/news/2019-06-baby-pterodactyls-birth.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--