

Color change and behavior enable multicolored chameleon prawns to survive

June 21 2019



Chameleon prawns (*Hippolyte varians*) take weeks to change color. Credit: Martin Stevens



Chameleon prawns change colour to camouflage themselves as the seaweed around them changes seasonally, new research shows.

Unlike chameleons and cuttlefish, chameleon prawns (*Hippolyte varians*) take weeks to change colour, so the study—by the University of Exeter and the Federal University of ABC (Brazil) - shows that their abilities are suited to <u>seasonal changes</u> to their surroundings rather than rapidly adapting to new backgrounds.

However, <u>rock</u> pools are highly diverse environments, and the research also shows that in the short term the prawns can use behaviour—selecting <u>seaweed</u> that best matches their existing colouration.

Chameleon prawns are remarkably colourful, ranging from bright block colours to varying degrees of transparency, and are common in UK rock pools.

"Our study shows that these prawns exhibit impressive levels of <u>camouflage</u> on the seaweeds in which they live," said Ph.D. student Sam Green, of the University of Exeter.

"We measured the camouflage of prawns to the vision of their predators and recorded colour change in the lab, and found the prawns can improve camouflage against their new backgrounds over a number of weeks.

"Seaweeds vary seasonally in UK rockpools and this ability probably enables prawns to maintain camouflage throughout the year.





Chameleon prawns (*Hippolyte varians*) are remarkably colorful, ranging from bright block colors to varying degrees of transparency, and are common in UK rock pools. Credit: Martin Stevens

"However, as the rock pool environment consists of a variety of different coloured seaweed patches, our behavioural experiments show that the prawns also select backgrounds that match their existing appearance.

"This helps maintain camouflage in the short term, helping prawns to deal with the challenges of rock pool life. For example, a wave could dislodge a prawn from its chosen perch.



"This demonstrates how colour change and behaviour combine to facilitate camouflage in varying environments over different timescales."

Professor Martin Stevens added: "The rock pool environment is an incredibly challenging place to live and is constantly changing every day and over the seasons.

"The combination of colour change and behaviour enables prawns to cope with this and reduce the chance of them becoming a meal for a hungry predator."

Dr. Rafael Duarte, a post-doctoral researcher from the Federal University of ABC (Brazil), concluded: "Similar outcomes are expected to be observed in different coloured species from a range of taxonomic groups and living both in terrestrial and aquatic habitats that vary spatially and seasonally in terms of background composition."

The researchers studied chameleon <u>prawns</u> of varied sex and size, and two seaweed species—green sea lettuce (*Ulva lactuca*) and red dulse (*Palmaria palmata*) - from rock <u>pools</u> at Gyllyngvase beach in Cornwall.

The paper, published in the journal *Communications Biology*, is entitled: "Colour change and behavioural choice facilitate <u>chameleon</u> prawn camouflage against different seaweed backgrounds."

More information: "Colour change and behavioural choice facilitate chameleon prawn camouflage against different seaweed backgrounds." *Communications Biology*, DOI: 10.1038/s42003-019-0465-8

Provided by University of Exeter



Citation: Color change and behavior enable multi-colored chameleon prawns to survive (2019, June 21) retrieved 23 June 2024 from <u>https://phys.org/news/2019-06-behavior-enable-multi-colored-chameleon-prawns.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.