

Deploying high-frequency radar in the Straits of Mackinac

June 11 2019, by Kelley Christensen



The Mackinac Straits are known for their volatile currents. A pilot highfrequency radar project aims to increase understanding of those currents and others in the Great Lakes. Credit: Michigan Technological University

As Great Lakes water levels rise to record heights, remotely monitoring currents and waves grows in importance.

The currents of the Straits of Mackinac are known for their volatility; they have for millennia pushed the birch bark canoes of Native Americans and voyageurs alike off course and forced lake freighters aground.



The currents are also part of the complex lake system that links Lake Michigan to Lake Huron. Monitoring currents and waves in the Straits—and throughout the Great Lakes—is of great interest to scientists, municipal managers, the shipping industry, environmentalists and government agencies.

In late May, Lorelle Meadows, dean of the Pavlis Honors College at Michigan Technological University and oceanographer by training, and Guy Meadows, director of the Great Lakes Research Center, conducted the first test of a high-frequency <u>radar</u> system specifically tuned for use in the Great Lakes.

Great Lakes Geometry

High-frequency radar is a shore-based remote sensing system used to measure currents offshore by sending a low-power electromagnetic pulse over the water. The electromagnetic wave interacts with marine surface waves, which scatter the radar signal. By measuring the magnetic pulse bounces from marine waves back to the radar tower, researchers are able to map the speed and direction of the underlying currents.

High-frequency radar has not been implemented as a routine tool for measuring currents in the Great Lakes because, in comparison with salt water, the electromagnetic pulses travel shorter distances. Highfrequency radar is effective in freshwater at shorter distances—six to eight kilometers—and there are numerous locations in the Great Lakes where coastlines narrow, providing the necessary geometry to make highfrequency radar effective.

"A lot of the infrastructure in the Great Lakes that gives us drinkable water is within a few miles of the coastline," Lorelle Meadows said. "A system like this could be valuable in different strategic locations. I could imagine it in southern Lake Huron near Port Huron and Sarnia, at the



Detroit River or the Chicago waterfront—any place you want to have insight into the way the currents are moving."

The team, with funding from the Great Lakes Observing System (GLOS), temporarily installed two 14-foot CODAR SeaSonde high-frequency radar towers, one on each side of the Straits just west of the Mackinac Bridge. Because of its sheer size, there was the potential that the bridge would interfere with the <u>radar signal</u>; field testing in May proved that the bridge did not overtly interfere, a big step in moving the radar project's viability forward.

Unlike buoys, which provide single-point measurements, high-frequency radar towers use broad beams, which intersect over the water surface to create maps of an entire area.



High-frequency radar towers, like the pilot tower shown here near Fort Michilimackinac in Mackinac City, Michigan, create maps an entire area rather than providing only a single point of data. Credit: Michigan Technological University



"Each station individually can only tell you the speed at which a current is traveling toward or away from it," Lorelle Meadows said. "An individual tower only provides the radial component of the current. But by combining the two stations together we achieve the full vector."

Though not meant to replace buoys, the radar towers provide further data to gain better understanding of complex <u>lake</u> systems.

"The hope is to produce vector maps every half hour," Guy Meadows said. "The Straits West buoy reports conditions at a single point every 10 minutes. This system has the capability to create a new vector map of currents every 30 minutes, every day."



Lorelle Meadows and Guy Meadows received a grant from the Great Lakes Observing System (GLOS) to bring a pilot high-frequency radar project to Michigan. Credit: Michigan Technological University



Next Steps

Vector maps can be used by many different interests: providing warnings to ships of currents that might force them aground or off course, giving vital information to search and rescue operations, tracking a hazard spilled into the water, or monitoring harmful algal blooms so that municipal water intakes can be shut off if necessary.

Following the pilot test, the researchers are processing data and will apply for permanent GLOS funding for the radar towers, which will operationalize this capability for the Straits and also allow them to explore further uses of the technology in freshwater.

"Our ocean coasts are instrumented with these towers," Lorelle Meadows said. "This is our opportunity for the Great Lakes coastline to be."

Provided by Michigan Technological University

Citation: Deploying high-frequency radar in the Straits of Mackinac (2019, June 11) retrieved 17 July 2024 from <u>https://phys.org/news/2019-06-deploying-high-frequency-radar-straits-mackinac.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.