

## The surprising reason why some lemurs may be more sensitive to forest loss

June 13 2019, by Robin A. Smith



Researchers report that the microbes living in the guts of leaf-eating lemurs like this one are largely shaped by the forests where they live, a finding that could make some species less resilient to deforestation. Credit: David Haring, Duke Lemur Center



Duke University scientists have given us another way to tell which endangered lemur species are most at risk from deforestation—based on the trillions of bacteria that inhabit their guts.

In a new study, researchers compared the <u>gut microbes</u> of 12 <u>lemur</u> species across the island of Madagascar, where thousands of acres of forest are cleared each year to make way for crops and pastures.

The team found that some lemurs harbor <u>microbes</u> that are more specialized than others for the forests where they live, to help lemurs digest their leafy diets.

One thing that could make it more difficult for such lemurs to adapt to fragmented forests or new locales in the wake of habitat change, the findings suggest, may be their ability to digest the specific mix of plants that grow there.

The study was published June 12 in the journal *Biology Letters*.

Researchers are trying to tease apart the influence of various factors that shape the balance of microbes in the gut, in part because of studies showing that an animal's <u>gut microbiome</u> affects its health.

"Gut microbes perform crucial functions," said first author Lydia Greene, who conducted the research as part of her Ph.D. dissertation at Duke.

Led by Greene and professor of evolutionary anthropology Christine Drea, the study compared the gut microbiomes of 12 species representing two branches of the lemur family tree, brown lemurs and sifaka lemurs.

Both groups of lemurs eat plant-based diets culled from hundreds of



species of trees. But while brown lemurs eat mostly fruit, sifakas are known for the ability to eat leaves full of fiber and tannins. Sifakas' intestines are teeming with mostly friendly bacteria that help them break down the tough leaves they eat, turning plant fiber into nutrients the lemurs use to stay healthy.

Using feces collected by a network of lemur-tracking colleagues working at seven sites across Madagascar, the team sequenced the DNA of gut bacteria from 128 lemurs to figure out which microbes were present.

The stool samples revealed striking differences. The fruit-eating brown lemurs harbored similar collections of gut microbes regardless of where they lived on the island. But the microbial makeup inside the guts of the leaf-eating sifakas varied from place to place, and in ways that couldn't be attributed to genetic relatedness between lemur species. Instead, what mattered most was where they lived: Microbes that were common in lemurs living in dry forest were rare or absent in rainforest dwellers, and vice versa.

The patterns they found may also explain "why so many brown lemurs have adapted to captivity, but only one species of sifaka" has been successfully reared in zoos and sanctuaries, Greene said.

"They have specialized diets and are completely reliant on having the right microbes" to extract nutrients and energy from the food they eat, Greene said.

"If you look at any one of these fruit-eating <u>species</u> and take away its forest, theoretically it could move next door," Drea said. "The leaf specialists may not be able to."

**More information:** Lydia K. Greene et al, Local habitat, not phylogenetic relatedness, predicts gut microbiota better within folivorous



than frugivorous lemur lineages, *Biology Letters* (2019). DOI: 10.1098/rsbl.2019.0028

## Provided by Duke University

Citation: The surprising reason why some lemurs may be more sensitive to forest loss (2019, June 13) retrieved 13 March 2024 from <a href="https://phys.org/news/2019-06-lemurs-sensitive-forest-loss.html">https://phys.org/news/2019-06-lemurs-sensitive-forest-loss.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.