


Metal foam stops .50 caliber rounds as well as steel – at less than half the weight

June 5 2019, by Matt Shipman



Researchers have demonstrated that vehicle armor using composite metal foam (CMF) can stop ball and armor-piercing .50 caliber rounds as well as conventional steel armor, even though it weighs less than half as much. The finding means that vehicle designers will be able to develop lighter military vehicles without sacrificing safety, or can improve protection without making vehicles heavier.

CMF is a foam that consists of hollow, metallic spheres—made of materials such as [stainless steel](#) or titanium—embedded in a metallic matrix made of steel, titanium, aluminum or other metallic alloys. In this study, the researchers used steel-steel CMF, meaning that both the spheres and the matrix were made of steel.

For the study, researchers manufactured a hard [armor](#) system consisting of a ceramic faceplate, a CMF core and a thin back plate made of aluminum. The armor was tested using .50 caliber ball and armor-piercing rounds. The armor was tested with the rounds being fired at impact velocities from 500 meters per second up to 885 meters per second.

The CMF layer of the armor was able to absorb 72-75% of the kinetic energy of the ball rounds, and 68-78% of the kinetic energy of the armor-piercing rounds.

"The CMF armor was less than half the weight of the rolled homogeneous steel armor needed to achieve the same level of protection," says Afsaneh Rabiei, corresponding author of a paper on the work and a professor of mechanical and aerospace engineering at North Carolina State University. Rabiei, the inventor of CMF, has spent years developing and testing CMF materials.

"In other words, we were able to achieve significant weight savings—which benefits vehicle performance and [fuel efficiency](#)—without sacrificing protection," Rabiei says.

"This work shows that CMF can offer a significant advantage for vehicle armor, but there is still room for improvement," Rabiei says. "These findings stem from testing armors we made by simply combining steel-steel CMF with off-the-shelf ceramic face plates, aluminum back plate and adhesive material. We only optimized our CMF material and

replaced the steel plate in standard [vehicle armor](#) with steel-steel CMF armor. There is additional work we could do to make it even better. For example, we would like to optimize the adhesion and thickness of the ceramic, CMF and aluminum layers, which may lead to even lower total weight and improved efficiency of the final armor."

In previous work, Rabiei and her collaborators demonstrated that CMF could block blast pressure and fragmentation at 5,000 feet per second from high explosive incendiary rounds detonating only 18 inches away. Her team also showed that CMF could stop a 7.62 x 63 millimeter M2 armor piercing projectile at a total thickness of less than an inch, while the indentation on the back was less than 8 millimeters. For context, the National Institute of Justice standard allows up to 44 millimeters indentation in the back of armor.

In addition, Rabiei's group has shown that CMFs, in addition to being lightweight, are very effective at shielding X-rays, [gamma rays](#) and neutron radiation—and can handle fire and heat twice as well as the plain metals they are made of.

"In short, CMFs hold promise for a variety of applications: from [space exploration](#) to shipping [nuclear waste](#), explosives and hazardous materials, to military and security applications and even cars, buses and trains," Rabiei says.

The new paper, "Ballistic Performance of Composite Metal Foam against Large Caliber Threats," is published in the journal *Composite Structures*.

More information: Jacob Marx et al. Ballistic Performance of Composite Metal Foam against Large Caliber Threats, *Composite Structures* (2019). [DOI: 10.1016/j.compstruct.2019.111032](https://doi.org/10.1016/j.compstruct.2019.111032)

Provided by North Carolina State University

Citation: Metal foam stops .50 caliber rounds as well as steel – at less than half the weight (2019, June 5) retrieved 3 May 2024 from <https://phys.org/news/2019-06-metal-foam-caliber-rounds-steel.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.