


Pesticides found in monarchs' milkweed near farm fields

June 27 2019, by Brian Wallheimer



Purdue University researchers have found evidence near agricultural fields of pesticides on milkweed, a vital source of food for monarch butterfly caterpillars. It raises questions about pesticide roles in the decline of the species. Credit: John Obermeyer/Purdue Entomology

Conservation organizations across the United States plant milkweed to combat the loss of monarch butterflies, whose populations have declined around 90 percent in the last two decades. Where they plant may be important, according to a Purdue University study that finds evidence of agricultural pesticides on milkweed near farm fields.

Milkweed is the primary diet for [monarch caterpillars](#), and loss of the plant has been tied to declines in butterfly populations. But as milkweed stems have increased in recent years, monarch numbers have continued to decline.

Purdue's Ian Kaplan, a professor of entomology, and his doctoral student, Paola Olaya-Arenas, wondered if [pesticides](#) might be a factor in particular neonicotinoids, which are used to coat crop seeds to protect them from insects and have been linked to honeybee losses. They found neonicotinoids in milkweed near farm fields, but they caution that their presence does not necessarily make them responsible for monarch losses.

"Finding pesticides on milkweed is a concern, but we can't say anything about the impact based on this. We aren't sure if they're highly toxic, if they have some sub-lethal impact or if there is no effect at all," said Kaplan, whose findings were published in the journal *Frontiers in Ecology and Evolution*. "We just don't know why these monarch declines are happening, and this is one idea that hasn't been tested."

As part of her dissertation, Olaya-Arenas collected more than 1,500 milkweed leaves across seven sites in Indiana over two years. The leaves tested positive for 14 pesticides—four insecticides, four herbicides and six fungicides—of varying concentrations. The neonicotinoids clothianidin and thiamethoxam were present, as was the pyrethroid insecticide deltamethrin. The neonicotinoid imidacloprid was detected in small concentrations in just a few plants.

Insecticide presence and concentrations varied by year and month. Clothianidin, for example, was found in June but not later months. Thiamethoxam and deltamethrin were mainly found in the second year of the study, but not the first.

"The data suggest that early-season monarchs are at greater risk from [neonicotinoid](#) exposure than subsequent generations occurring later in the season. Similarly, our data suggest strong annual fluctuations in risk, indicating that monarchs likely encounter a different suite of pesticides each year," the authors wrote.

Distance also played a role, with insecticide detection and concentrations decreasing further from farm fields. Kaplan and Olaya-Arenas think that's important because some organizations advise planting milkweed at least 125 feet from a farm [field](#). Pesticides could be found beyond that distance, however, and up to 2 km for some chemicals.

"People want to know the best places to plant all this milkweed in the Midwest to restore monarch populations, and there's this 125-foot idea that doesn't seem to have any scientific backing," Kaplan said. "It's not a bad idea to put some distance between milkweed and farm fields, but we didn't see a magic drop off at 125 feet."

Kaplan and Olaya-Arenas are now taking the next step in determining whether neonicotinoids and other pesticides are harming [monarch](#) populations, conducting toxicity experiments with those chemicals found on [milkweed](#) near [farm](#) fields.

More information: Paola Olaya-Arenas et al. Quantifying Pesticide Exposure Risk for Monarch Caterpillars on Milkweeds Bordering Agricultural Land, *Frontiers in Ecology and Evolution* (2019). [DOI: 10.3389/fevo.2019.00223](https://doi.org/10.3389/fevo.2019.00223)

Provided by Purdue University

Citation: Pesticides found in monarchs' milkweed near farm fields (2019, June 27) retrieved 10 April 2024 from <https://phys.org/news/2019-06-pesticides-monarchs-milkweed-farm-fields.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.