

## Shaken and stirred: Scientists capture the deformation effect of shock waves on a material

June 21 2019



Aluminum foil irradiated by a laser-driven shock wave is followed by an X-ray pulse to read the diffraction pattern of the crystal structure. Credit: Tokyo Tech



Understanding how shock waves affect structures is crucial for advancements in material science research, including safety protocols and novel surface modifications. Using X-ray diffraction probes, scientists at the Institute of Materials Structure Science of KEK, Tokyo of Tech, Kumamoto University, and University of Tsukuba studied the deformation of polycrystalline aluminum foil when subjected to a laserdriven shock wave.

The foundations of engineering lie in understanding and manipulating the structure of materials to harness their properties in creative ways. Interactions between materials take place via the exchange of forces, so predicting a material's ability to withstand a force and how it propagates is central to developing structures with enhanced strength.

If an instantaneous strong force acting on a material results in a <u>shock</u> wave, the atoms may become displaced or dislocated. Like a <u>rubber band</u>, if the external force is not too significant, the internal forces can resist and the material can return to its original state (elastic deformation). But beyond a certain limit, the force may result in permanent damage or even <u>structural failure</u> (plastic deformation) of the material.

Unit cells are the smallest regularly repeating three dimensional atomic structure that reflects the overall symmetry of a crystal, and studying their displacement can provide rich insights. However, observing processes at the atomic scale is very difficult. This is where X-ray diffraction comes to the rescue. Envision a camera that allows you to capture events taking place at the atomic scale. When an X-ray encounters an atom it gets absorbed and then re-emitted by the atom. This results in the wave being scattered or diffracted in an orderly fashion, owing to the orderly arrangement of atoms in the crystal. Depending on the size, spatial arrangement, and distance between the



atoms, the wave is scattered in different directions with different intensity. Thus, the atomic structure is captured as signals, like a photograph of the crystal during and after the shock wave passes. This can be used to decode crystal deformation.



Pre and post shock wave diffraction pattern of crystals. Credit: Tokyo Tech

Motivated by this, researchers conducted an experiment to observe the deformation process of polycrystalline aluminum foil when subjected to a <u>laser</u>-driven shock wave. This disturbance was then captured as diffraction spots of an X-ray beam which could be simultaneously compared to the diffraction pattern of the pre-shock crystal (Fig. 1). They found that large grains of aluminum were rotated, compressed elastically, and reduced in size along the wave direction. As the wave propagated deeper into the sample, the diffraction spots smoothed and



broadened, and the original diffraction spots began to disappear, replaced by a new set of spots (Fig. 2). "We observed grain refinement and structural changes of the polycrystalline metal, which increased with the propagation of the laser-driven shock wave. This, in turn, enabled the study of microstructural deformation in plastic shock flows from the atomic to the mesoscale level," stated Dr. Kohei Ichiyanagi of High Energy Accelerator Research Organization and Jichi Medical University.

Contemporary research of post-shock structural changes of <u>materials</u> often fails to highlight the process of wave dissipation and the distribution of defects. This research changes the status quo by providing a method to observe grain refinement and structural changes, including surface hardness and modification, of polycrystalline metal during shock wave loading. Optimistic about the potential of this research, Professor Kazutaka G. Nakamura of the Tokyo Institute of Technology said, "Our technique will be valuable for revealing mechanisms of microstructural change for various alloys and ceramics based on dynamic processes."

Surely, this goes to show the creative ways we can expand the reaches of what we are able to see: this time, it's how x-rays can be used to capture how particles are shaken and stirred!

**More information:** Kouhei Ichiyanagi et al, Microstructural deformation process of shock-compressed polycrystalline aluminum, *Scientific Reports* (2019). DOI: 10.1038/s41598-019-43876-2

Provided by Tokyo Institute of Technology

Citation: Shaken and stirred: Scientists capture the deformation effect of shock waves on a material (2019, June 21) retrieved 27 June 2024 from <u>https://phys.org/news/2019-06-shaken-scientists-capture-deformation-effect.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.