


# Researchers unveil how soft materials react to deformation at molecular level

June 24 2019, by Lois Yoksouliau

---



Chemical and biomolecular engineering researchers Johnny Ching-Wei Lee, left, professor Simon Rogers and collaborators are challenging previous assumptions regarding polymer behavior with their newly developed laboratory techniques that measure polymer flow at the molecular level. Credit: L. Brian Stauffer

Before designing the next generation of soft materials, researchers must

first understand how they behave during rapidly changing deformation. In a new study, researchers challenged previous assumptions regarding polymer behavior with newly developed laboratory techniques that measure polymer flow at the molecular level.

This approach may lead to the design of new biomedical, industrial and environmental applications—from polymers that aid in blood clotting to [materials](#) that more efficiently extract oil and gas from wells.

The findings are published in the journal *Physical Review Letters*.

Understanding the mechanics of how materials molecularly react to changing flows is critical to developing high-quality materials, the researchers said, and defining a framework for interpreting and describing these properties has eluded scientists for decades.

"When polymeric materials—synthetic or biologic—are deformed, they react at both macroscopic and molecular scales," said Simon Rogers, a University of Illinois chemical and biomolecular engineering professor and lead author of the new study. "The relationship between the two scales of response is complex and has been, until now, difficult to describe."

Previous studies have attempted to characterize the relationship between the microscopic and macroscopic behaviors of polymer deformation mathematically, the researchers said, but have been unable to relate the physics to any well-defined microstructural observations.

"In our study, we wanted to measure both the structural and mechanical properties of polymers during deformation, directly shedding light on the origin of unique mechanical properties," said Johnny Ching-Wei Lee, a graduate student and study co-author. "We thought perhaps it was best to try and use direct observations to explain the complex physics."

In the lab, the researchers simultaneously measured multiscale [deformations](#) by combining traditional tools for measuring stress and deformation at the macroscopic level with a technique called neutron scattering to observe the structure at the molecular scale.

The team found something unexpected.

"With simultaneous neutron scattering and flow measurements, we are able to directly correlate structure and mechanical properties with a time resolution on the order of milliseconds, " said study co-author Katie Weigandt, a researcher from the National Institute of Standards and Technology Center for Neutron Science. "This approach has led to fundamental understanding in a wide range of nanostructured complex fluids, and in this work, validates new approaches to making polymer flow measurements. "

"Previous research had assumed that the amount of applied deformation at the macroscale is what soft materials experience at the microscale," Lee said. "But the [neutron-scattering](#) data from our study clearly shows that it is the deformation that can be recovered that matters because it dictates the whole response, in terms of macroscopic flow—something that was previously unknown."

The researchers said this development will help rectify several poorly understood phenomena in polymers research, such as why polymers expand during three-dimensional printing processes.

"We have come up with what we call a structure-property-processing relationship," Rogers said. "This subtle, yet fundamentally different way of thinking about the [polymer](#) behavior summarizes what we see as a simple and beautiful relationship that we expect to be quite impactful."

The research brings key insights to the long-standing challenge in soft

condensed matter, and the team said the established structure-property-processing relationships could provide a new design criterion for soft materials.

**More information:** Johnny Ching-Wei Lee et al, Structure-Property Relationships via Recovery Rheology in Viscoelastic Materials, *Physical Review Letters* (2019). [DOI: 10.1103/PhysRevLett.122.248003](https://doi.org/10.1103/PhysRevLett.122.248003)

Provided by University of Illinois at Urbana-Champaign

Citation: Researchers unveil how soft materials react to deformation at molecular level (2019, June 24) retrieved 2 May 2024 from <https://phys.org/news/2019-06-unveil-soft-materials-react-deformation.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--