


Extinct human species likely breast fed for a year after birth, study suggests

July 15 2019







Australopithecus africanus adult female - head model. Credit: Smithsonian Museum of Natural History

Infants of the extinct human species *Australopithecus africanus* likely breast fed for up to a year after birth, similar to modern humans but of shorter duration than modern day great apes, according to an analysis of fossil teeth funded in part by the National Institutes of Health. The findings provide insight into how breast feeding evolved among humans and may inform strategies to improve modern breast-feeding practices. The study appears in *Nature*.

Like trees, <u>teeth</u> contain growth rings that can be counted to estimate age. Teeth rings also incorporate dietary minerals as they grow. Breast milk contains barium, which accumulates steadily in an infant's teeth and then drops off after weaning. Study author Christine Austin, Ph.D., of the Icahn School of Medicine in New York, developed a method to analyze trace minerals in teeth with funding from NIH's Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD).

In the current study, researchers examined two sets of fossilized *A*. *africanus* teeth from the Sterkfontein Cave outside Johannesburg, South Africa. They found patterns of barium accumulation, suggesting that infants of this early human species likely breast fed for about a year—an interval which may have helped them overcome seasonal food shortages. *A. africanus* lived in southern Africa more than 2 million years ago. The species resided in savannahs with wet summers, when food was likely abundant, and dry winters, when food was scarce. Cyclical accumulations of lithium in the specimens' teeth suggest the species endured food scarcity during the dry season, which may have contributed to its eventual extinction.



Industrialization and the introduction of infant formula changed breast feeding practices. Analysis of the fossil record and remains from preindustrial societies can provide insight into the nature of those changes and their effects on infant development.

The NICHD grant to Dr. Austin funded a project to identify biomarkers identifying the transition from breast feeding to formula feeding. Among other projects, the method she developed has been used to identify changes in zinc and copper metabolism preceding autism symptoms in <u>young children</u> and linking exposure to manganese in the womb with larger birth size.

More information: Joannes-Boyau, R, et al. Elemental signatures of Australopithecus africanus teeth reveal seasonal dietary stress. *Nature*. DOI: 2018-09-13492E

Provided by NIH/Eunice Kennedy Shriver National Institute of Child Health and Human Development

Citation: Extinct human species likely breast fed for a year after birth, study suggests (2019, July 15) retrieved 17 April 2024 from https://phys.org/news/2019-07-extinct-human-species-breast-fed.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.