

Study highlights nitrogen efficiency gains in corn hybrids over 70 years

July 9 2019, by Brian Wallheimer



An early corn hybrid from 1958 (right) versus a more modern hybrid from 2015 (left). The modern crops retain leaf nitrogen longer, keeping leaves green for continued photosynthesis that allows plants to increase kernel number and size. Credit: Purdue University

During the past 70 years, hybrid corn varieties have increased both yield and nitrogen use efficiency at nearly the same pace, largely by preserving leaf function during grain filling. The Purdue University study's findings offer strategies for corn breeders who want to continue to improve yields and nutrient efficiencies.

Decades of genetic improvements in corn have led to a fourfold increase in grain [yield](#) since the 1930s, before hybrids were widely used. But those yields also required increases in [nitrogen application](#), and loss of excess nitrogen can damage water and air quality as well as wildlife.

Tony Vyn, the Corteva Agriscience Henry A. Wallace Chair in Crop Sciences and a professor in Purdue's Department of Agronomy, wanted to know how corn [plants](#) have historically utilized nitrogen—especially in reproductive growth—so that breeders can make informed decisions with future hybrids. He and his former doctoral student, Sarah Mueller, obtained seed and grew seven commercially important Pioneer hybrids, approximately one from each decade between 1946 and 2015. They were grown side by side under a range of nitrogen managements and analyzed at several stages of growth through maturity to understand nitrogen uptake and distribution throughout plant tissues.

"There's been a progressive improvement in nitrogen use efficiency in corn hybrids. That's coming about as yields have increased while modern hybrids were able to capture more and more of the [fertilizer nitrogen](#) applied," said Vyn, whose findings were published in the journal *Scientific Reports*.

Over the last 70 years, genetic improvements have led to an 89 percent increase in grain yields and a 73 percent increase in nitrogen use efficiency from early hybrids to today, the study finds.

"There's been a plateau in nitrogen fertilizer rates applied to corn in the

U.S. since the 1980s," Vyn said. "But we're capturing more of the fertilizer we apply so that less is lost while more of the nitrogen captured by the plant is creating grain. In our case, we've documented progression from creating 42 pounds of grain per pound of nitrogen taken up in the plant to 65 pounds of grain.

"That essentially means that we've not necessarily sacrificed the environment in realizing much higher yields now than we did 50 or 70 years ago."

Vyn's team found that more modern [hybrid](#) corn kernels get much of their nitrogen from corn stems. That's key, he said, because it's important to keep as much nitrogen as possible in leaves so that plants can meet the assimilate requirements inherent in the increased [corn](#) kernel numbers and kernel size that are foundational in achieving higher grain yields.

"Kernels are going to pull nitrogen from somewhere in the plant. Stems contribute almost nothing to photosynthesis, but keeping nitrogen concentrations in the leaves higher for more of the growing season allows for more photosynthesis and improved yields," Vyn said.

He added that the findings offer breeders suggestions for how to continue to make improvements in yield and nitrogen use efficiency, focusing on the timing and movement of [nitrogen](#) through stems and into kernels.

Provided by Purdue University

Citation: Study highlights nitrogen efficiency gains in corn hybrids over 70 years (2019, July 9) retrieved 26 April 2024 from <https://phys.org/news/2019-07-highlights-nitrogen-efficiency-gains-corn.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.