

## **Closing the terahertz gap: Tiny laser is an important step toward new sensors**

July 24 2019



A new imaging technology rapidly measures the chemical compositions of solids. A conventional image of a sample pill is shown at left; at right, looking at the same surface with terahertz frequencies reveals various ingredients as different colors. Such images would aid quality control and development in pharmaceutical manufacturing, as well as medical diagnosis and treatment. Credit: Sterczewski et al.

In a major step toward developing portable scanners that can rapidly



measure molecules in pharmaceuticals or classify tissue in patients' skin, researchers have created an imaging system that uses lasers small and efficient enough to fit on a microchip.

The system emits and detects <u>electromagnetic radiation</u> at <u>terahertz</u> <u>frequencies</u>—higher than radio waves but lower than the long-wave infrared light used for thermal imaging. Imaging using <u>terahertz</u> radiation has long been a goal for engineers, but the difficulty of creating practical systems that work in this frequency range has stymied most applications and resulted in what engineers call the "terahertz gap."

"Here, we have a <u>revolutionary technology</u> that doesn't have any moving parts and uses direct emission of terahertz radiation from semiconductor chips," said Gerard Wysocki, an associate professor of electrical engineering at Princeton University and one of the leaders of the research team.

Terahertz radiation can penetrate substances such as fabrics and plastics, is non-ionizing and therefore safe for medical use, and can be used to view materials difficult to image at other frequencies. The new system, described in a paper published in the June issue of the journal *Optica*, can quickly probe the identity and arrangement of molecules or expose structural damage to materials.

The device uses stable beams of radiation at precise frequencies. The setup is called a frequency comb because it contains multiple "teeth" that each emit a different, well-defined frequency of radiation. The radiation interacts with molecules in the sample material. A dual-comb structure allows the instrument to efficiently measure the reflected radiation. Unique patterns, or spectral signatures, in the reflected <u>radiation</u> allow researchers to identify the molecular makeup of the sample.

While current terahertz imaging technologies are expensive to produce



and cumbersome to operate, the new system is based on a semiconductor design that costs less and can generate many images per second. This speed could make it useful for real-time quality control of pharmaceutical tablets on a <u>production line</u> and other fast-paced uses.

"Imagine that every 100 microseconds a tablet is passing by, and you can check if it has a consistent structure and there's enough of every ingredient you expect," said Wysocki.

As a proof of concept, the researchers created a tablet with three zones containing common inert ingredients in pharmaceuticals—forms of glucose, lactose and histidine. The terahertz imaging system identified each ingredient and revealed the boundaries between them, as well as a few spots where one chemical had spilled over into a different zone. This type of "hot spot" represents a frequent problem in pharmaceutical production that occurs when the active ingredient is not properly mixed into a tablet.

The team also demonstrated the system's resolution by using it to image a U.S. quarter. Fine details like the eagle's <u>wing feathers</u>, as small as one-fifth of a millimeter wide, were clearly visible.

While the technology makes the industrial and <u>medical use</u> of terahertz imaging more feasible than before, it still requires cooling to a low temperature, a major hurdle for practical applications. Many researchers are now working on lasers that will potentially operate at room temperature. The Princeton team said its dual-comb hyperspectral imaging technique will work well with these new room-temperature laser sources, which could then open many more uses.

Because it is non-ionizing, <u>terahertz radiation</u> is safe for patients and could potentially be used as a diagnostic tool for skin cancer. In addition, the technology's ability to image metal could be applied to test airplane



wings for damage after being struck by an object in flight.

In addition to Wysocki, the paper's Princeton authors are former visiting graduate student Lukasz Sterczewski (currently a postdoctoral scholar at NASA's Jet Propulsion Laboratory) and associate research scholar Jonas Westberg. Other co-authors are Yang Yang, David Burghoff and Qing Hu of the Massachusetts Institute of Technology; and John Reno of Sandia National Laboratories. Support for the research was provided in part by the Defense Advanced Research Projects Agency and the U.S. Department of Energy.

**More information:** Lukasz A. Sterczewski et al, Terahertz hyperspectral imaging with dual chip-scale combs, *Optica* (2019). <u>DOI:</u> <u>10.1364/OPTICA.6.000766</u>

## Provided by Princeton University

Citation: Closing the terahertz gap: Tiny laser is an important step toward new sensors (2019, July 24) retrieved 17 July 2024 from <u>https://phys.org/news/2019-07-terahertz-gap-tiny-laser-important.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.