




Researchers develop a unique method of fabricating 3-D porous structures

July 31 2019

Direct ink writing (DIW) 3D printing of polymer inks in solvents



Porous



Nonporous

Concept of ip3DP - A polymer solution is printed by a DIW 3D printer in a nonsolvent. The printed object is solidified via immersion precipitation, and porosity is imparted to the printed object. Credit: SUTD

Materials with controlled porosity have found diverse applications in separation, catalysis, energy storage, sensors and actuators, tissue engineering and drug delivery. Multiple methods have been developed to

fabricate well-defined porous materials with pore sizes ranging from nanometers to millimeters. For example, the introduction of sacrificial templates can impart porosity to the materials encapsulating them after the removal of embedded materials. Alternatively, procedures involving phase separation, direct templating and chemical reaction have demonstrated fabrication of hierarchical porous structures. These methods inherently require multiple steps, and are limited in the attainable complexity of the fabricated structures.

Recent advances in digital fabrication, represented by 3-D printing, have enabled fabrication of porous 3-D structures consisting of polymeric [materials](#) with porosity, yet limited by materials applicable to the process. For example, solvent-casting 3-D printing (SC3DP)—direct 3-D printing of polymer inks with in situ evaporation of solvents—has allowed fabrication of 3-D porous structures with stringent requirements of the rheological properties of the printing ink (e.g. high viscosity and high vapor pressure).

Researchers from the Singapore University of Technology and Design's (SUTD) Soft Fluidics Lab developed a novel 3-D printing method to fabricate 3-D porous models in one step, which was termed immersion precipitation 3-D printing (ip3DP). In the newly developed approach, inks containing polymers were directly printed in a bath of a non-solvent, and the printed ink solidified rapidly via immersion precipitation. Spontaneous solidification via immersion precipitation generated porosity at micro-to-nano scales. The porosity of the 3-D printed objects is easily controlled by the concentrations of polymers and additives, and the types of solvents. A wider selection of solvents permitted a wider range of thermoplastics to be printed. To highlight this capability, fabrications of centimeter-scale models in 13 polymers dissolved in six solvents was demonstrated.

"This work is the first demonstration of three-dimensionally controlled

immersion precipitation based on digitally controlled depositions of materials," said lead author of the paper Dr. Rahul Karyappa.

The principal investigator, Assistant Professor Michinao Hashimoto stated that "the wide selection of printable materials, and ability to tailor their morphologies and properties, make ip3DP a novel approach for 3-D [printing](#) to fabricate functional structures."

More information: Rahul Karyappa et al, Immersion precipitation 3D printing (ip3DP), *Materials Horizons* (2019). [DOI: 10.1039/C9MH00730J](#)

Provided by Singapore University of Technology and Design

Citation: Researchers develop a unique method of fabricating 3-D porous structures (2019, July 31) retrieved 24 April 2024 from <https://phys.org/news/2019-07-unique-method-fabricating-d-porous.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.