

Helping wheat and corn producers target their fertilizer needs

July 17 2019, by Dennis O'brien



Wheat harvest at the ARS Central Great Plains Research Station in Akron, Colorado. Credit: Scott Bauer

A few years ago, Agricultural Research Service (ARS) scientists in Akron, Colorado began noticing a pattern to their wheat harvests: yields were higher in low-lying areas.

That by itself was no surprise. Soils at low-lying spots in a field capture run-off from higher spots, often have more [organic matter](#) and are better at holding water, which is critical in the soils of eastern Colorado, where water is scarce, and crops are strictly rain-fed.

But it was the extreme variability in yields that surprised the researchers. Yields varied from 17 bushels per acre to 110 bushels per acre—sometimes in the same field in the same year. The numbers also showed that the yield potential dropped by about 35 percent for every three-foot increase in elevation, and elevations can vary by up to 15 feet in some fields of eastern Colorado. "We knew elevation was a factor, but we didn't realize that the differences in yield could be this dramatic," said Merle Vigil, who is acting research leader of the Central Great Plains Resources Management Research Unit in Akron

Vigil, Francisco Calderon and their ARS colleagues in Akron have been sharing their preliminary findings with area farmers at workshops and in meetings and they have started work on a project to see if they can help farmers save on fertilizer costs and increase yields of both winter [wheat](#) and summer corn, which are often rotated in the region. The researchers have set up three management zones in 12 fields and over the next five years they plan to apply different rates of fertilizer in each zone to see how yields are affected by elevation. The results should help farmers better target fertilizer needs for crops produced on 26 million acres of cultivated dryland in the Central Great Plains.

The amount of nitrogen fertilizer applied affects the protein content of the wheat, so the researchers plan to set a target of producing wheat with 11.5 percent protein in deciding how much fertilizer to apply to their test plots. (Wheat flour needs to have at least 11.5 percent protein content for a loaf of bread to rise adequately. The wheat will sell at a [lower price](#) if protein levels fall below that.)

Many farmers now use standard soil tests to determine fertilizer amounts and they often apply the same amount uniformly over thousands of acres. But it could be that they are wasting money by over-fertilizing areas that produce low yields and not putting enough fertilizer on high-yielding areas, Vigil says

"Our goal is to allow farms to match their nitrogen fertilizer rates to the yield potential. We think by using variable rate nitrogen fertilizer management, farmers may be able get a better return on what they invest in [fertilizer](#)," he said.

Provided by Agricultural Research Service

Citation: Helping wheat and corn producers target their fertilizer needs (2019, July 17) retrieved 16 August 2024 from <https://phys.org/news/2019-07-wheat-corn-fertilizer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--